



# AP-IP100™

## BcN IP Phone

High Performance Broadband Convergence Network  
IP Phone Solution

# CTI Application

***AddPac***

AddPac Technology

[www.addpac.com](http://www.addpac.com)

# Contents

- AP-IP100E H/W Specification
- CTI Application using Caller ID
- Network Diagram
- Message Flow

# AP-IP100E H/W Specification

- **RISC+DSP Microprocessor Computing Power (Dual Processor Architecture)**
- **FXO Interface for PSTN : AP-IP100E**
- **High quality Audio and Voice Interface**
  - Stereo Audio Input Connector
  - Stereo Audio Output Connector
- **Network Interface**
  - Two(2) 10/100Mbps Fast Ethernet
- **LCD Window : 66.54mm x 33.26mm(Active Area)**  
**Graphic LCD**
- **Power Supply**
  - External Power Adaptor (5V, 2A)




FXO Interface for PSTN


# CTI using CID

- Simple CTI (Computer and Telephony Integration) Application
- AddPac IP-Phone or VoIP Gateway send CID information to CTI application via TCP/UDP socket
- CTI application get caller information using HTTP or custom specific protocol

# Basic Network Diagram



# Message Flow



# IP Phone Series

# Thank you!

**AddPac Technology Co., Ltd.**  
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail [sales@addpac.com](mailto:sales@addpac.com)