

AP-VBS5000

HD Video Broadcasting Server

Next Generation IP based HD Video Broadcasting Server Solution

Preliminary Product Overview



AddPac

AddPac Technology

Sales and Marketing

Contents

- Product Overview
- Benefits and Features
- Hardware Specification
- Multimedia Service
- Software Service
- Video Service & Features
- Audio & Voice Service and Features
- Application Area
- HD IP Broadcasting Solution
- Ordering Information



Product Overview

- IP based HD Video Broadcasting Service Solution
- High Performance Real-time Audio/Video Broadcasting Solution
- High Performance Non-Real-time Scheduled HD Video Broadcasting Solution
- High-performance Video, Audio, and Voice Service
- Firmware Upgradeable Architecture
- Video Solution with Outstanding Network Service Capability
- Multimedia Broadcasting Management Software (Client/Server Architecture)



Product Highlights

AP-VBS5000 HD Video Broadcasting Server

IP based HD Video Broadcasting Server

Single Source Dual Encoding (HD(H.264), SD(MPEG4))

Excellent Voice Quality G.711,G.726,G.722,etc

High-end Video Codec H.264, MPEG-4

APOS[™]Technology Multimedia Network Protocol

IP based Network Protocol & Video/Voice Traffic QoS

Video Broadcasting Terminal Broadcasting Router AddPac Total Solution

High-End Video/Audio Processor for HD level video Encoding

High-quality Image 720P HD Display 1Mbps to 4Mbps


Firmware Upgradeable Architecture

Broadband IP Networking With Two(2) Gigabit Ethernet

Powerful OSD AP-MBMS™ EMS



Multimedia Service





Benefits and Features

- High Quality Images up to 1Mbps and 4Mbps
- High-performance Audio & Video Codec Support
 - H.264, MPEG-4 Video Codec
 - Line IN: G.726, G.711, etc, Audio Codec
- Single Source Dual Video Encoding Scheme for HD(H.264), SD (MPEG4) Broadcasting Terminals
- Up to 30 frame/sec, 1280x720 HD Resolution
- RTP based Real-Time HD Broadcasting Service
- IP based Network Protocol Support
- Video Application
 - Audio & Video Broadcasting Solution




Hardware Specification

- High-End Host Processor + High Performance DSP
- Main Chassis
 - Power On/Off Switch
 - Network Interface
 - Two(2) 10/100/1000Mbps Gigabit Ethernet
 - One(1) RS-232C Console (RJ45)
 - Two(2) PTZ RS-232C Ports (Channel #0,#1)
 - Video Interface (Input)
 - RCA Composite (CH#0, CH#1)
 - S-Video(CH#0, CH#1)
 - Component (CH#0, CH#1)
 - RGB Interface (CH#0, CH#1)
 - HD-SDI Interface (CH#0, CH#1)
 - Audio Interface (Input)
 - RCA Stereo Connector (CH#0, CH#1)






Hardware Specification





Software Service

- Built-in AddPac APOS Internetworking Software
 - Scalability, Functionality, and Stability Features
 - Video Traffic QoS Control
- Programmable Video, Audio, and Voice Services
 - Video Codec, Audio, and Voice Codec
- Industry Standard IP based Network Protocol Features
- AP-MBMS (Multi-media Broadcasting Management System) Solution
 - Server and Client Architecture
 - JAVA based EMS Solution
 - Broadcast Status Monitoring, Scheduling, Login Management, and Remote System Management Support
 - Intel Pentium Machine with MS Window Server OS and MS-SQL



Video Service and Features

- High-performance Video Codec Support
 - H.264, MPEG-4
- Powerful Image Resolution Support
 - VGA(640x480), 720P(1280x720)
- Up to 30fps at HD-Resolution (H.264)
- 1Mbps to 4Mbps Operating Video Traffic Bandwidth
- Video Buffer Control for Video Traffic QoS
 - Ensuring Optimized Quality
 - Frame Rate Control with Limited Bandwidth
- Single Source Dual Video Encoding (HD, SD Terminals)
- RTP/UDP based Real-time Video Broadcasting Service



AP-VBS5000 HD Video Broadcasting Server

Application Area

- Audio Real-time Broadcasting
- Audio/Video Real-time Broadcasting






AP-VBT1000 HD Video Terminal

Audio Real-time Broadcasting


AP-VBS5000 HD Video Broadcasting Server

Audio Broadcasting Service via IP Network






Audio/Video Real-time Broadcasting



Audio/Video Real-time Broadcasting



HD IP Broadcasting Solution

- HD Video Broadcasting Server : AP-VBS5000
- IP Broadcasting Router: AP-BCR2000
- HD Video Broadcasting Terminal : AP-VBT1000
- Video Broadcasting Monitoring Terminal: AP-VP500
- Video Broadcasting Terminals : AddPac Video Phones
- Network Service Diagram



AP-VBS5000



AP-BCR2000




AP-VBT1000



AP-VP500



HD IP Broadcasting Component Diagram



Ordering Information

- AP-VBS5000 HD Video Broadcasting Server Main Body
- High-performance Host Processor + DSP Architecture
- 2-port 10/100/1000Mbps Gigabit Ethernet and 1-port RS-232C Console
- HD-SDI, RGB, Composite, S-Video, Component Video Input (CH#0, CH#1)
- Stereo RCA Audio Input Interface (CH#0, CH#1)
- RS-232C PTZ Controller Interface (CH#0, CH#1)
- Including Network Cable Set & Power Supply Cable, etc.
- Built-in APOS Internetworking Software for AP-VBS5000
- Including 1 Year Hardware Warranty
- Product Documents
 - Install and Operation Guide (PDF)
- Pricing
 - AddPac Technology Regional Sales Manager
 - Authorized Sales and Marketing Representatives
 - Please Contact www.addpac.com



Thank you!

AddPac Technology Co., Ltd. Sales and Marketing

Phone +82.2.568.3848 (KOREA) FAX +82.2.568.3847 (KOREA) E-mail sales@addpac.com

