Telemedicine Video Conference Solution











AddPac Technology

Sales and Marketing


www.addpac.com

Contents

- Telemedicine Video Conference Solution Network Diagram
- Telemedicine Video Conference Solution Advantage
- Telemedicine Video Conference Solution Overview
- Telemedicine Video Conference Solution Components for Central Side, Urban, Univ. Hospital
 - Smart Meeting Schedule
 - Smart Meeting Messenger
 - Smart Meeting Previewer
 - Smart Meeting Place
 - Smart Desktop Meeting Server
- HD Video Conference Devices for Rural, Remote Side



Telemedicine Video Conference Solution Network Diagram



Advantages of AddPac Telemedicine Video Conference Solution

- Provides Flexible Meeting and Video Conferencing Solutions for Healthcare Areas with AddPac HD Hardware Codecs
- Provides Full Desktop Meeting Solution by Smart Meeting Scheduler™, Smart Meeting Messenger™, Smart Meeting Previewer™, and Smart Meeting Place™
- Provides Modular and Reliable Servers such as Call Manager,
 Presence Server, MCU (Multiparty Conference Unit), and Meeting Server with Active-Standby Redundancy
- Provides Video Traffic Optimizer™ Technology by MCU with Flexible Window Management
- Provides Preview of Participants before Join to the Meeting by Smart Meeting Previewer™




Telemedicine Video Conference Solution Overview



Video Conference Solution for Central, Univ. Hospital Side




Smart Desktop Meeting Solution Components






Schedule a Meeting by Smart Meeting Scheduler






Get a Notification by Smart Meeting Messenger






Preview Meeting by Smart Meeting Previewer



Join Meeting by Smart Meeting Place




- HD Video Conference
- Audio Conference
- Floor, Presenter Control
- Layout Control
- Desktop Share
- Desktop Control
- Chatting






High Availability






Bandwidth Problem of Other Vendors



AddPac Video Traffic Optimizer™ Technology




Video Traffic Optimizer™ with Flexible Layout











Smart Desktop Meeting Solution Components



Smart Meeting Scheduler



Smart Meeting Scheduler™

- Making and Starting a Meeting
 - In case of Immediate Meeting, host can make and start a meeting at once
 - In case of Scheduled Meeting, host can make a meeting with recursively or not and then start the meeting later
- Join to the Meeting
 - After start a meeting by host, attendees can join to the meeting at Smart Meeting Scheduler™
- Support Meeting Board
 - Additionally, we support meeting board for uploading meeting materials and comments by host and attendees
- Support Meeting Template
 - For easy making a meeting, we support meeting template as meeting group



Smart Meeting Scheduler™ Make/Start/Join Procedure












A host can start the scheduled meeting






Smart Meeting Scheduler™ Home Page




Smart Meeting Scheduler™ Start a Meeting Immediately






Smart Meeting Scheduler™ Making a Scheduled Meeting






Smart Meeting Scheduler™ Start / Join to the Meeting






Smart Meeting Scheduler™ Meeting Board






Smart Meeting Scheduler™ Calendar View






Smart Meeting Scheduler™ Meeting Group as Meeting Template






Smart Meeting Scheduler™ Advanced Options - General






Smart Meeting Scheduler™ Advanced Options - Layout






Smart Meeting Scheduler™ Advanced Options - Layout





Smart Meeting Scheduler™ Advanced Options – Media Class






Smart Meeting Messenger




Smart Meeting Messenger™

Invite Notification Procedure






Smart Meeting Messenger™ Meeting Notice





Smart Meeting Messenger™ Directory and Click to Start Meeting





Smart Meeting Messenger™ Phone Agent






Smart Meeting Previewer



Smart Meeting Previewer™ Preview Procedure





Smart Meeting Previewer™









Smart Meeting Place




Smart Meeting Place™

- Easy Installation, Upgrading, Launching
 - It can be installed, upgraded, and launched by web based Smart Meeting Scheduler™
- Flexible Video Conference
 - It supports Symmetric, Asymmetric layouts and various layout mode with Video Traffic Optimizer™ technology
 - Floor (Speaker) can be fixed or dynamic with proper layout control
- Desktop Share
 - It supports presenter's desktop screen to participants
 - Presenter can be assigned by host or request by himself
- Application Share
 - Any kind of application in desktop such as Web, PowerPoint, Word can be shared by selecting running application
- Remote Desktop Control
 - For collaboration and remote desktop technical support, flexible mouse and keyboard control can be supported




Smart Meeting PlaceTM Full Screen Video Mode – Invite and Remind



Smart Meeting PlaceTM Full Screen Video Mode – Panels



Smart Meeting PlaceTM Full Screen Video Mode – Control Panel



- Participant on/off
- Chatting on/off

Share Control Buttons

- Share Desktop
- Assign Control
- Request Control
- Pause / Play
- Sharing Area
- Scale (scale 100%, auto)
- Quality (auto, high, middle, low)
- Menu (all control menu)
- Presenter assign/unassign/request)
- Floor assign/unassign/request)
- 1:1 chat



- Minimize
- Close Full Screen or Stop Desktop Share
- Quit Program

- Invite Participant
- Meeting Room Lock/Unlock
- Meeting Room Setting

- Mic. mute/unmute
- Camera mute/unmute



Smart Meeting PlaceTM Full Screen Video Meda, without Co

Full Screen Video Mode - without Control Panel

t1 Change View
















Smart Meeting PlaceTM Full Screen Video Mode - Mixed Layout




Smart Meeting PlaceTM Full Screen Video Mode - Floor only Layout




Smart Meeting PlaceTM Full Screen Desktop Share – Presenter Screen




Smart Meeting Place™ Full Screen Desktop Share – Panels



Smart Meeting Place™ Full Screen Desktop Share – Video only




Smart Meeting Place™ Window Mode - Panels





Smart Meeting Place™ Window Mode – Desktop Share






Smart Meeting Servers



Smart Meeting Server (Large Enterprise Model)

AP-MS5000 Meeting Server



Smart Meeting Server (Small Enterprise Model)

AP-MS2000 Meeting Server (All-in One Model)

(Call Manager + Video MCU + Desktop Share/Chatting Server)



Front Side Soft Power ON/OFF Switch



HD&Full HD Video Conference Device for Rural, Remote Side



HD & Full HD Video Conference Devices

Product		AP-HVC1000	AP-HVC700	AP-HVC600	AP-HVC500
Camera Sensor		CMOS	CCD	CMOS	CCD
Optical Zoom		x10	x18	x10	x18
Video Resolution		Full HD: 720P, 1080i	HD: 720P(1280x720)	Full HD: 720P, 1080i	HD:720P(1280x720)
Channel One(1)	Video Input	Built-in Full HD Camera	Built-in HD Camera	Built-In Full HD Camera, Composite, HD-SDI, RGB, HDMI	Built-In HD Camera, Composite, HD-SDI, RGB, HDMI
	Video Output	Composite, Component, HDMI	Composite, Component, HDMI	Composite, Component, HDMI	Composite, Component, HDMI
	Audio Input	Stereo RCA Type	Stereo RCA Type	Stereo RCA Type	Stereo RCA Type
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)	RCA Type Audio (L,R)	RCA Type Audio (L,R)
	PTZ Control	N/A	N/A	Support	Support
Channel Two(2)	Video Input	Composite RCA, HD-SDI, RGB, HDMI	Composite RCA, HD-SDI, RGB, HDMI		N/A
	Video Output	Composite, Component, HDMI	Composite, Component, HDMI	N/A	
	Audio Input	Stereo RCA Type	Stereo RCA Type		
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)		
	PTZ Control	Support	Support		
LAN		One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	One(1) 10/100M Ethernet
Power		External Power Adaptor	External Power Adaptor	External Power Adaptor	External Power Adaptor

HD & Full HD Video Conference Devices

Product	AP-HVC200	AP-HVC300	
Sensor	CCD	CMOS	
Optical Zoom	x18	x10	
Video Resolution	HD 720P(1280x720)	Full HD 720P, 1080i	
Video Output	HDMI Component, RCA	HDMI, Component, RCA	
Audio Out	Stereo Left, Right RCA Out	Stereo Left, Right RCA Out	
Audio In	MIC/Audio In, 3.5mm Audio Input	MIC/Audio In, 3.5mm Audio Input	
LAN	One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	
Power	External Power Adaptor	External Power Adaptor	



SD Video Conference



SD Video Conference Devices

Product		AP-SVC700 AP-SVC500		AP-SVC200	
Camera Sensor		CCD	CCD	CCD	
Optical Zoon	1	x27	x27	x27	
Codec Video Resolution		SD (D1, VGA)	SD(D1, VGA)	SD(D1, VGA)	
Display Video Resolution		HD	HD	HD	
Channel	Video Input	Built-in SD Camera	Built-In SD Camera or Composite	Built-In SD Camera	
One(1)	Video Output	Composite, Component, HDMI	Composite, Component, HDMI	Composite, Component, HDMI	
	Audio Input	Stereo RCA Type	Stereo RCA Type	Stereo RCA Type	
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)	RCA Type Audio (L,R)	
	External PTZ Control	N/A	Support	N/A	
Channel Two(2)	Video Input	Composite RCA, RGB, HDMI			
(2)	Video Output	Composite, Component, HDMI			
	Audio Input	Stereo RCA Type			
	Audio Output	RCA Type Audio (L,R)			
	External PTZ Control	Support			
LAN		One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	
Power		External Power Adaptor	External Power Adaptor	External Power Adaptor	



Full HD Video Conference Codec



Full HD Video Conference Codecs

Product		AP-HCC2000	AP-HCC1000	AP-HVC500	
		ACC7 SO	Address	Atdisc	
Video Resolution		720P, 1080i(60), 1080p(30)	720P, 1080i(60), 1080p(30)	720P, 1080i(60), 1080p(30)	
Channel One(1)	Video Input	Composite RCA, HD-SDI, HDMI	Composite RCA, HD-SDI, HDMI	Composite RCA, HD-SDI, RGB, HDMI	
	Video Output	Composite RCA, Component, HDMI	Composite RCA, Component, HDMI	Composite RCA, Component, HDMI	
	Audio Input	Stereo RCA Type	Stereo RCA Type	Stereo RCA Type	
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)	RCA Type Audio (L,R)	
	PTZ Control	Support, RS232C	Support, RS232C	Support	
Channel Two(2)	Video Input	Composite RCA, HD-SDI, RGB, HDMI	Composite RCA, HD-SDI, RGB, HDMI		
	Video Output	Composite RCA, Component, HDMI	Composite RCA, Component, HDMI	N/A	
	Audio Input	Stereo RCA Type	Stereo RCA Type		
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)		
	PTZ Control	Support, RS232C	Support, RS232C		
Video MCU		4-Party Video MCU	N/A	N/A	
LAN		One(1) 10/100/1000M Gigabit Ethernet	One(1) 10/100/1000M Gigabit Ethernet	One(1) 10/100/1000M Gigabit Ethernet	
Power		External Power Adaptor	External Power Adaptor	External Power Adaptor	

HD Video Conference Cameras



HD Cameras for Video Conference

Product	AP-HDC50	AP-HDC100	AP-HDC200	AP-HDC300	AP-HDC350
Sensor	CCD	CMOS	CCD	CMOS	CMOS
Optical Zoom	x18	x10	x18	x10	x20
Video Resolution	HD 720P(1280x720)	Full HD 720P, 1080i	HD 720P(1280x720)	Full HD 720P, 1080i	Full HD 720P, 1080i, 1080p
Video Output	HDMI, HD-SDI, Component, RCA				
PTZ Control	Support	Support	Support	Support	Support
PTZ Control Interface	RS232/RS485	RS232/RS485	RS232/RS485	RS232/RS485	RS232/RS485
Power	External Power Adaptor				



AP-MP100 Acoustic Echo Canceller MIC



Main Features

- Acoustic Echo Canceller Micro Phone Solution for Video Conference
- Wide band(16bits, 16kHz sampling) operation
- Support CNG(comport noise generation) to generate white noise
- Support double talk
- Noise reduction algorithm
- Support HDMI speaker mode & analog speaker mode
- S/W upgrade by y-modem protocol via RS232C
- Support CLI(Command Line Interface) to configure AEC parameters
- Voice Activity Detection
- Mute button
- Status LED (Mute, Active)
- Compact Design & Die Casting
- Power On/Off Switch




Hardware Specification

- DSP based Acoustic Echo Canceller Hardware Architecture
- Status LED (Mute, Active)
- Audio Mute Key Support
- RS232C based Firmware Upgrade Architecture
- Compact Design & Die Casting
- Power On/Off Switch
- MIC Interface
 - Power Input
 - Audio Output





Hardware Specification





Thank you!

AddPac Technology Co., Ltd. Sales and Marketing

Phone +82.2.568.3848 (KOREA) FAX +82.2.568.3847 (KOREA) E-mail sales@addpac.com

