

# AP-VC200N<sup>TM</sup> Video Conference Equipment

High Performance Video Terminal Solution

**Preliminary Product Overview** 





**AddPac Technology** 

2011, Sales and Marketing

### Contents

- Product Overview
- Benefits and Features
- Hardware Specification
- Multimedia Service
- Software Service
- Video Service & Features
- Audio & Voice Service and Features
- Network Service and Features
- OSD Software Features
- Application Area
- Ordering Information






#### **Product Overview**

- IP based Video Phone Solution
- VoD (Video on Demand) Service
- IPTV Service
- Network Surveillance Service
- High-performance Video, Audio, and Voice Service
- Flexible Videoconferencing Deployment
- Firmware Upgradeable Architecture
- Video Solution with Outstanding Network Service Capability
- Audio/Video Privacy Protection




# Product Highlights





#### Multimedia Service






### Benefits and Features

- Built-In HD Camera
- Remote Controller
- External Video Interface
  - Composite (RCA) Out, S-Video Out, Component Out
  - Audio (RCA) In/Out
- High-performance Video Codec Support
  - H.263, MPEG-4, JPEG, and H.264
- Powerful Image Resolution Support
  - QCIF(176x144),CIF(352x288),QVGA(320x240), HVGA(640x240),VGA(640x480)
- Up to 30fps with Wide VGA-Resolution(MPEG-4)
- Video Conference Call Support (External MCU Inter-working)
- SIP, H.323 Signaling Support
- Rate Control for Video Traffic QoS
  - Ensuring Optimized Quality
  - Frame Rate with Limited Bandwidth
- High-end Error Resilient Against Various Packet Error



## Hardware Specification




- RISC Microprocessor Computing Power
- High-end Programmable DSP Hardware Architecture
- Built-In HD Camera
- Powerful Video Interface
  - RCA Output, S-Video Output, Component (720P) Output
- High quality Audio and Voice Interface
  - Stereo Audio Input Connector
  - Stereo Audio Output Connector
- Network Interface
  - Two(2) 10/100Mbps Fast Ethernet (RJ45)
  - One(1) RS-232C Interface (RJ45) for Console
- USB Interface
  - USB 1.1 Master Interface for USB Wifi, HDD, Flash Memory, USB Keyboard, USB Mouse
- VoIP Gateway
  - 1-Port FXS VoIP Interface for Analog Phone, Wireless Phone
  - 1-Port FXO VoIP Interface for PSTN Interface






# Hardware Specification




- HD Video Camera Sensor
  - -CMOS 720P Wide Dynamic Range(WDR) HD Image Sensor
  - -Output Formats: YUV, separated and combined RAW
  - -Image Size: WXGA(1280x480), HD 720P(1280x720), WVGA(752x480), VGA(640x480), CIF(352x288), QVGA(320x240)
  - -1/3 Inch One(1) Megapixel Image Sensor
  - -Automatic Exposure/Gain
  - -Horizontal and Vertical Windowing Capability
  - -Auto White Balance Control
  - –Aperture/Gamma Correction
  - -50/60Hz Flicker Cancellation
  - -Defective Pixel Correction



# Hardware Specification







### Software Service

- Built-in AddPac APOS Internetworking Software
  - Scalability, Functionality, and Stability Features
  - Video Traffic QoS Control
- Programmable Video, Audio, and Voice Services
  - Video Codes, Audio, and Voice Codec
- Firmware Upgradeable DSP Architecture
- OSD (On-screen Display) Function Support
- Industry Standard IP based Network Protocol Features





### Video Service and Features

- Various Video Networking Interface
  - Composite (RCA), S-Video, Component
- High-performance Video Codec Support
  - H.263, MPEG-4, JPEG, and H.264
- Powerful Image Resolution Support
  - QCIF(176x144), CIF(352x288), QVGA(320x240), HVGA(640x240),
    VGA(640x480)
- Up to 30fps with VGA Resolution(MPEG-4)
- 64Kbps to 4Mbps Operating Video Traffic Bandwidth
- Rate Control for Video Traffic QoS
  - Ensuring Optimized Quality
  - Frame Rate with Limited Bandwidth
- High-end Error Resilient Against Various Packet Error



#### Audio & Voice Service and Features

- Audio & Voice Networking Interface
  - Audio Input/Output Port (2 x 3.5mm Stereo Female Connector)
    (Mic/Line In, Line Out (Head Phone))
  - Internal MIC
  - Internal Speaker
- VoIP based Signaling Protocol Support
  - H.323, SIP Multiple Signaling Protocol Stack
- High-performance Audio & Voice Codec Support
  - Head Set: G.723.1, G.729, G.726, G.711, etc
  - Line IN/OUT : G.726, G.711 Audio Codec, etc
    MP3 Codec for broadcasting service.
- Enhanced QoS Management Features for Voice Traffics



#### **Network Service and Features**

- Network Managements
  - Standard SNMP Agent (MIB v2) Support
  - Remote Management using Console, Telnet
  - Web based Management using HTTP Server Interface
- Security Functions
  - Standard & Extended IP Access List
  - Enable/Disable for Specific Network Protocols
  - Multi-level User Account Management
  - Auto-disconnect for Telnet/Console Sessions
  - PPP User Authentication Supports (PAP & CHAP)
- Operation & Managements
  - System Performance Analysis for Process, CPU, Connection Interface
  - Debugging, System Auditing, and Diagnostics Support
  - System Booting and Auto-rebooting with Watchdog Feature
  - System Managements with Data Logging
  - IP Traffic Statistics with Accounting




#### Network Service and Features

- Network Managements
  - DHCP Server & Relay Functions
  - Network Address Translation (NAT) Function
  - Port Address Translation (PAT) Function
  - Transparent Bridging (IEEE Standard) Function
    - Spanning Tree Bridging Protocol Support
    - Remote Bridging Support
    - Concurrent Routing and Bridging Support
  - Cisco Style Command Line Interface (CLI)
  - Network time Protocol (NTP) Support




AP-VC200N Video Conference Equipment OSD Service






IrDA RemoCon





















AP-VC200N Video Conference Equipment OSD Service

Application OSD (VoD, IPTV, Network Camera, File Browser, etc)





20

AP-VC200N Video Conference Equipment OSD Service

Remote Setup OSD (Bandwidth, Codec, etc)





# AP-VC200N Video Conference Equipment


**Application Area** 

- Audio/Video Real-time Broadcasting
- Video on Demand Application
- Video Telephony
- Video Conference






# Audio/Video Real-time Broadcasting



23


## Video on Demand Service






# Video Telephony Application

# Point-to-Point Video Service (symmetric video quality)






## Video Conference



MPEG-4, 30Frame, VGA

MPEG-4, 30Frame, VGA



# Remocon Specification







Remote Control

Remote Commander

No	Function	No	Function
1	CALL/Recent Call	10	SLOW PLAY, PLAY, PAUSE, STOP
2	Keypad	11	PREVIOUS, FAST REWARD, FAST FORWARD, NEXT
3	SpeedDial	12	END
4	Zoom In/Out, Volume	13	PhoneBook
5	MENU	14	INFO
6	EXIT	15	ARROW KEY
7	HOLD	16	NTSC/PAL
8	VOD, DISPLAY, VIEW Mode, PAN/TILT	17	PRIVACY
9	DEL, REC, MIRROR, Call Status		



## Ordering Information

#### AP-VC200N Video Conference Equipment Hardware

- AP-VC200N Video Conference Equipment Main Body
- RISC Microprocessor with High-end Programmable DSP Architecture
- Built In HD Camera, Remote Controller
- Video RCA Output, S-Video Out, Component Out and 3.5mm Audio Input/Output
- 2-ports 10/100Mbps Fast Ethernet and 1-port RJ45 RS-232C Console
- 1-Port USB Interface (Master Mode)
- 1-Port FXS VoIP Interface for Analog Phone
- 1-Port FXO VoIP Interface for PSTN
- Including Network Cable Set & Ext. Power Supply, etc.
- Built-in APOS Internetworking Software for AP-VC200N
- Including 1 Year Hardware Warranty
- Product Documents
  - Install and Operation Guide (PDF)
- Pricing
  - AddPac Technology Regional Sales Manager
  - Authorized Sales and Marketing Representatives

# Thank you!

# AddPac Technology Co., Ltd. Sales and Marketing

Phone +82.2.568.3848 (KOREA) FAX +82.2.568.3847 (KOREA) E-mail sales@addpac.com

