

IPNext 250[™] Hybrid IP-PBX System

High-performance Hybrid IP-PBX Solution

Media Service Features





AddPac Technology

2010, Sales and Marketing

Contents

- Product Overview
- Media Service Data Flow Diagram
- Media Service Call Flow Diagram
- Media Service Codec
- Media Service Announcement
- Application Service




Product Overview


- Powerful IP-PBX for Small & Medium Enterprise
- Smart Management and User Friendly Features
- Fault Tolerant and Scalability Architecture
- Media Service Features
 - RBT/MoH/MMCID Service
 - RBT/MoH/MMCID Schedule Holiday) Support
 - Announcement Schedule(Holiday) Support
 - Announcement Package Distribution
 - Announcement/RBT/MoH/MMCID Audio/Video Support
- Firmware Upgradeable Architecture
- Two(2) Fast Ethernet Interface
- Ten(10) VoIP Interface Module Slots (Max.80 Port Analog)
 - 8-Port FXS, 8-Port FXO, 1~2Port Digital E1/T1 Modules
- One(1) RS-232C Port for CLI




Media Server Data Flow Diagram




Media Server Call Flow Diagram (Ring Back Tone)



Media Server Call Flow Diagram (MoH: Music on Hold)



Media Server Call Flow Diagram (MMCID: Multimedia Caller ID)



Media Server Support Codec

Audio/Video	Codec
	G711u
Audio	G711a
	G729
Video	MPEG4
	H.263




Announcement Service

Service	Name	Description
Dial Tone	Normal Dial-tone	Hearing Tone When off-Hook("ttou")
	Virtual Dial-tone	Hearing tone when a user try to external outbound call (9T). Little bit difference with normal tone
	Consult tone	Hearing tone when a user transfer call("ttou", "ttou")
Retry No Nur Over C Busy	Connect	Call will be connected
	Retry	Sorry, retry to call connect
	No Number	Sorry, Phone Number is not available
	Over Count	Retry count number is over.
	Busy	Sorry, this phone line is busy
	No Answer	Sorry. User doesn't answer
	System Normal Fail	Sorry, call connection is not available at this time
	Network Busy	Sorry, Network is busy, please retry after moment.
	System overload	Sorry, this call is restricted by license, please rety after moment
Default RBT/MoH	Ring back tone	Default RBT
	Music On Hold	Default MoH
	Call Waiting tone	Call Waiting tone



Media Service App. for All IP Environment



Thank you!

AddPac Technology Co., Ltd. Sales and Marketing

Phone +82.2.568.3848 (KOREA) FAX +82.2.568.3847 (KOREA) E-mail sales@addpac.com

www.addpac.com

