



# AP5800™ (256 Port) Large Scale VoIP Gateway

High Performance VoIP Gateway Solution

Champ Connector for FXS, FXO Cards



**AddPac**

**AddPac Technology**

2011, Sales and Marketing

# Contents

- Product Overview
- Hardware Configuration Diagram
- Champ Connector Diagram




# Product Overview

## AP5800 Large Scale VoIP Gateway

- SIP VoIP Stack (Redundancy Mode : Dual CPU Mode)
- H.323/SIP/MGCP Concurrent VoIP Stack (Single CPU Mode)
- High Performance RISC Processor
- Dual Power Redundancy (AC, DC ) selectable at ordering
- Hot-Swap Function Support
- Up to 256 Analog Interface Port (32Port Board x 8 Ea) Support
- Two(2) 10/100/1000Mbps Giga-Bit Ethernet Interface
- G.711/G.726/G.723/G.729, T.38 Fax , VAD, etc
- Powerful Network Protocols (PPPoE, DHCP, Static Routing, etc)
- Firmware Upgradeable Architecture
- VPMS (VoIP Plug&Play Management System) for Large Scale Deployment
- Advanced Voice QoS Mechanism

# Hardware Configuration Diagram

## AP5800 Large Scale VoIP Gateway



**AddPac**

[www.addpac.com](http://www.addpac.com)

# Champ Connector Diagram

AP5800 Large Scale VoIP Gateway



# Champ Connector Diagram

AP5800 Large Scale VoIP Gateway



# Champ Connector Diagram

AP5800 Large Scale VoIP Gateway



# Champ Connector Diagram

AP5800 Large Scale VoIP Gateway





# VoIP Gateway Series

# Thank you!

**AddPac Technology Co., Ltd.**  
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail [sales@addpac.com](mailto:sales@addpac.com)