### **Smart Desktop Meeting Solution**





AddPac Technology

2013, Sales and Marketing


www.addpac.com

#### Contents

- Smart Desktop Meeting Solution Network Diagram
- Smart Desktop Meeting Solution Advantage
- Smart Desktop Meeting Solution Overview
- Smart Desktop Meeting Solution Application
- Smart Desktop Meeting Solution Components
  - Smart Meeting Schedule
  - Smart Meeting Messenger
  - Smart Meeting Previewer
  - Smart Meeting Place
  - Smart Desktop Meeting Server
- HD Video Conference Devices



#### Smart Desktop Meeting Solution Network Diagram



### Advantages of AddPac Desktop Meeting Solution


- Provides Full Desktop Meeting Solution by Smart Meeting Scheduler™, Smart Meeting Messenger™, Smart Meeting Previewer™, and Smart Meeting Place™
- Provides Modular and Reliable Servers such as Call Manager,
   Presence Server, MCU (Multiparty Conference Unit), and Meeting
   Server with Active-Standby Redundancy
- Provides Video Traffic Optimizer™ Technology by MCU with Flexible Window Management
- Provides Preview of Participants before Join to the Meeting by Smart Meeting Previewer™
- Provides Flexible Meeting and Video Conferencing Solutions for Government, Enterprise, Education, Healthcare Areas with AddPac HD Hardware Codecs, Video Phones, and IP Phones.



### Smart Desktop Meeting Solution Overview




### **Smart Desktop Meeting Solution Components**






### Schedule a Meeting by Smart Meeting Scheduler






### Get a Notification by Smart Meeting Messenger






### Preview Meeting by Smart Meeting Previewer



### Join Meeting by Smart Meeting Place




- HD Video Conference
- Audio Conference
- Floor, Presenter Control
- Layout Control
- Desktop Share
- Desktop Control
- Chatting






### High Availability






#### Bandwidth Problem of Other Vendors



### AddPac Video Traffic Optimizer™ Technology




www.addpac.com

### Video Traffic Optimizer™ with Flexible Layout











### Smart Desktop Meeting Solution Application




### **Smart Desktop Meeting Solution Applications**

- Large Scale HD Video Conference
  - Government and Enterprise Video Conference with HD Hardware Codecs and Video Phones
  - Support Standard H.323, SIP for Interworking to other Vendors
- Education and Training
  - Support Speech Mode Dual Layout for Teacher and Student differently
  - Support Audience Mode for Attendees who are Listening only
- Smart Work and Collaboration
  - Support Flexible Desktop Sharing and Control
  - Useful to Co-Work, Technical Support, Video Consulting
- Healthcare
  - Interworking to HD Codec on Cart with Dual PTZ Camera Control
- Open Meeting to Anybody (Webinar)
  - Support Open Meeting with or without password
  - Anonymous attendees join to webinar by E-Mail or other Link



### Smart Desktop Meeting Solution Applications HD Video Conference



### Smart Desktop Meeting Solution Applications Education and Training






Provides dual layouts for speech mode meeting

#### Students see teacher screen









www.addpac.com

### Smart Desktop Meeting Solution Applications Smart Work and Collaboration

Presenter share his desktop


Co-workers collaborate application



- Co-editing a file
- Co-work any PC application
- Flexible mouse and keyboard control



19




### Smart Desktop Meeting Solution Applications Healthcare


Patient seek medical care

Doctor care patient with PTZ camera



- HVC1000 Codec provides HD dual camera with PTZ control
- Patient consult to doctor with face to face





### **Smart Desktop Meeting Solution Components**



### **Smart Meeting Scheduler**



### Smart Meeting Scheduler™

- Making and Starting a Meeting
  - In case of Immediate Meeting, host can make and start a meeting at once
  - In case of Scheduled Meeting, host can make a meeting with recursively or not and then start the meeting later
- Join to the Meeting
  - After start a meeting by host, attendees can join to the meeting at Smart Meeting Scheduler™
- Support Meeting Board
  - Additionally, we support meeting board for uploading meeting materials and comments by host and attendees
- Support Meeting Template
  - For easy making a meeting, we support meeting template as meeting group



### Smart Meeting Scheduler™ Make/Start/Join Procedure












A host can start the scheduled meeting






### Smart Meeting Scheduler™ Home Page






# Smart Meeting Scheduler™ Start a Meeting Immediately






# Smart Meeting Scheduler™ Making a Scheduled Meeting






# Smart Meeting Scheduler™ Start / Join to the Meeting






### Smart Meeting Scheduler™ Meeting Board






### Smart Meeting Scheduler™ Calendar View






### Smart Meeting Scheduler™ Meeting Group as Meeting Template






### Smart Meeting Scheduler™ Advanced Options - General






### Smart Meeting Scheduler™ Advanced Options - Layout






### Smart Meeting Scheduler™ Advanced Options - Layout





### Smart Meeting Scheduler™ Advanced Options – Media Class






### **Smart Meeting Messenger**




#### Smart Meeting Messenger™

#### **Invite Notification Procedure**






#### Smart Meeting Messenger™ Meeting Notice





#### Smart Meeting Messenger™ Directory and Click to Start Meeting





#### Smart Meeting Messenger™ Phone Agent






#### **Smart Meeting Previewer**



### Smart Meeting Previewer™ Preview Procedure






#### Smart Meeting Previewer™









#### **Smart Meeting Place**




#### Smart Meeting Place™

- Easy Installation, Upgrading, Launching
  - It can be installed, upgraded, and launched by web based Smart Meeting Scheduler™
- Flexible Video Conference
  - It supports Symmetric, Asymmetric layouts and various layout mode with Video Traffic Optimizer™ technology
  - Floor (Speaker) can be fixed or dynamic with proper layout control
- Desktop Share
  - It supports presenter's desktop screen to participants
  - Presenter can be assigned by host or request by himself
- Application Share
  - Any kind of application in desktop such as Web, PowerPoint, Word can be shared by selecting running application
- Remote Desktop Control
  - For collaboration and remote desktop technical support, flexible mouse and keyboard control can be supported



### Smart Meeting Place<sup>TM</sup> Full Screen Video Mode – Invite and Remind



### Smart Meeting Place<sup>TM</sup> Full Screen Video Mode – Panels



### Smart Meeting Place<sup>TM</sup> Full Screen Video Mode – Control Panel



- Participant on/off
- Chatting on/off

#### **Share Control Buttons**

- Share Desktop
- Assign Control
- Request Control
- Pause / Play
- Sharing Area
- Scale (scale 100%, auto)
- Quality (auto, high, middle, low)
- Menu (all control menu)
- Presenter assign/unassign/request)
- Floor assign/unassign/request)
- 1:1 chat



- Minimize
- Close Full Screen or Stop Desktop Share
- Quit Program

- Invite Participant
- Meeting Room Lock/Unlock
- Meeting Room Setting

- Mic. mute/unmute
- Camera mute/unmute



### Smart Meeting Place<sup>TM</sup> Full Screen Video Meda, without Co

Full Screen Video Mode - without Control Panel

t1 Change View















# Smart Meeting Place<sup>TM</sup> Full Screen Video Mode - Mixed Layout




# Smart Meeting Place<sup>TM</sup> Full Screen Video Mode - Floor only Layout




## Smart Meeting Place<sup>TM</sup> Full Screen Desktop Share – Presenter Screen




## Smart Meeting Place™ Full Screen Desktop Share – Panels



## Smart Meeting Place™ Full Screen Desktop Share – Video only




#### Smart Meeting Place™ Window Mode - Panels





#### Smart Meeting Place™ Window Mode – Desktop Share






### **Smart Meeting Servers**



#### Smart Meeting Server (Large Enterprise Model)

#### AP-MS5000 Meeting Server



58

#### Smart Meeting Server (Small Enterprise Model)

# AP-MS2000 Meeting Server (All-in One Model)

(Call Manager + Video MCU + Desktop Share/Chatting Server)



Front Side Soft Power ON/OFF Switch



#### HD&Full HD Video Conference Device



#### HD & Full HD Video Conference Devices

Product		AP-HVC1000	AP-HVC700	AP-HVC600	AP-HVC500
Camera Sensor		CMOS	CCD	CMOS	CCD
Optical Zoom		x10	x18	x10	x18
Video Resolution		Full HD: 720P, 1080i	HD: 720P(1280x720)	Full HD: 720P, 1080i	HD:720P(1280x720)
Channel One(1)	Video Input	Built-in Full HD Camera	Built-in HD Camera	Built-In Full HD Camera, Composite, HD-SDI, RGB, HDMI	Built-In HD Camera, Composite, HD-SDI, RGB, HDMI
	Video Output	Composite, Component, HDMI	Composite, Component, HDMI	Composite, Component, HDMI	Composite, Component, HDMI
	Audio Input	Stereo RCA Type	Stereo RCA Type	Stereo RCA Type	Stereo RCA Type
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)	RCA Type Audio (L,R)	RCA Type Audio (L,R)
	PTZ Control	N/A	N/A	Support	Support
Channel Two(2)	Video Input	Composite RCA, HD-SDI, RGB, HDMI	Composite RCA, HD-SDI, RGB, HDMI		N/A
	Video Output	Composite, Component, HDMI	Composite, Component, HDMI	N/A	
	Audio Input	Stereo RCA Type	Stereo RCA Type		
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)		
	PTZ Control	Support	Support		
LAN		One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	One(1) 10/100M Ethernet
Power		External Power Adaptor	External Power Adaptor	External Power Adaptor	External Power Adaptor

#### HD & Full HD Video Conference Devices

Product	AP-HVC200	AP-HVC300	
Sensor	CCD	CMOS	
Optical Zoom	x18	x10	
Video Resolution	HD 720P(1280x720)	Full HD 720P, 1080i	
Video Output	HDMI Component, RCA	HDMI, Component, RCA	
Audio Out	Stereo Left, Right RCA Out	Stereo Left, Right RCA Out	
Audio In	MIC/Audio In, 3.5mm Audio Input	MIC/Audio In, 3.5mm Audio Input	
LAN	One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	
Power	External Power Adaptor	External Power Adaptor	



62

#### SD Video Conference



#### SD Video Conference Devices

Product		AP-SVC700 AP-SVC500		AP-SVC200	
Camera Sen	sor	CCD	CCD	CCD	
Optical Zoom	ı	x27	x27	x27	
Codec Video	Resolution	SD (D1, VGA)	SD(D1, VGA)	SD(D1, VGA)	
Display Video Resolution		HD	HD	HD	
Channel	Video Input	Built-in SD Camera	Built-In SD Camera or Composite	Built-In SD Camera	
One(1)	Video Output	Composite, Component, HDMI	Composite, Component, HDMI	Composite, Component, HDMI	
	Audio Input	Stereo RCA Type	Stereo RCA Type	Stereo RCA Type	
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)	RCA Type Audio (L,R)	
	External PTZ Control	N/A	Support	N/A	
Channel Two(2)	Video Input	Composite RCA, RGB, HDMI		N/A	
1 10(2)	Video Output	Composite, Component, HDMI			
	Audio Input	Stereo RCA Type	N/A		
	Audio Output	RCA Type Audio (L,R)			
	External PTZ Control	Support			
LAN		One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	One(1) 10/100M Ethernet	
Power		External Power Adaptor	External Power Adaptor	External Power Adaptor	



#### Full HD Video Conference Codec



#### Full HD Video Conference Codecs

Product		AP-HCC2000	AP-HCC1000	AP-HVC500	
		ACCES S	ASSES	ASSPOR	
Video Resolution		720P, 1080i(60), 1080p(30)	720P, 1080i(60), 1080p(30)	720P, 1080i(60), 1080p(30)	
Channel One(1)	Video Input	Composite RCA, HD-SDI, HDMI	Composite RCA, HD-SDI, HDMI	Composite RCA, HD-SDI, RGB, HDMI	
	Video Output	Composite RCA, Component, HDMI	Composite RCA, Component, HDMI	Composite RCA, Component, HDMI	
	Audio Input	Stereo RCA Type	Stereo RCA Type	Stereo RCA Type RCA Type Audio (L,R)	
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)		
	PTZ Control	Support, RS232C	Support, RS232C	Support	
Channel Two(2)	Video Input	Composite RCA, HD-SDI, RGB, HDMI	Composite RCA, HD-SDI, RGB, HDMI		
	Video Output	Composite RCA, Component, HDMI	Composite RCA, Component, HDMI	N/A	
	Audio Input	Stereo RCA Type	Stereo RCA Type		
	Audio Output	RCA Type Audio (L,R)	RCA Type Audio (L,R)		
	PTZ Control	Support, RS232C	Support, RS232C		
Video MCU		4-Party Video MCU	N/A	N/A	
LAN		One(1) 10/100/1000M Gigabit Ethernet	One(1) 10/100/1000M Gigabit Ethernet	One(1) 10/100/1000M Gigabit Ethernet	
Power		External Power Adaptor	External Power Adaptor	External Power Adaptor	

#### **HD Video Conference Cameras**



#### HD Cameras for Video Conference

Product	AP-HDC50	AP-HDC100	AP-HDC200	AP-HDC300	AP-HDC350
Sensor	CCD	CMOS	CCD	CMOS	CMOS
Optical Zoom	x18	x10	x18	x10	x20
Video Resolution	HD 720P(1280x720)	Full HD 720P, 1080i	HD 720P(1280x720)	Full HD 720P, 1080i	Full HD 720P, 1080i, 1080p
Video Output	HDMI, HD-SDI, Component, RCA				
PTZ Control	Support	Support	Support	Support	Support
PTZ Control Interface	RS232/RS485	RS232/RS485	RS232/RS485	RS232/RS485	RS232/RS485
Power	External Power Adaptor				



### AP-MP100 Acoustic Echo Canceller MIC



#### Main Features

- Acoustic Echo Canceller Micro Phone Solution for Video Conference
- Wide band(16bits, 16kHz sampling) operation
- Support CNG(comport noise generation) to generate white noise
- Support double talk
- Noise reduction algorithm
- Support HDMI speaker mode & analog speaker mode
- S/W upgrade by y-modem protocol via RS232C
- Support CLI(Command Line Interface) to configure AEC parameters
- Voice Activity Detection
- Mute button
- Status LED (Mute, Active)
- Compact Design & Die Casting
- Power On/Off Switch




#### Hardware Specification

- DSP based Acoustic Echo Canceller Hardware Architecture
- Status LED (Mute, Active)
- Audio Mute Key Support
- RS232C based Firmware Upgrade Architecture
- Compact Design & Die Casting
- Power On/Off Switch
- MIC Interface
  - Power Input
  - Audio Output





#### Hardware Specification





### Thank you!

### AddPac Technology Co., Ltd. Sales and Marketing

Phone +82.2.568.3848 (KOREA) FAX +82.2.568.3847 (KOREA) E-mail sales@addpac.com

