

IP Video Phone Solution for Door Phone Attendant

IP Video Phone Solution for Door Phone Attendant

- AP-VP700 HD IP Video Phone
- AP-VAC70 HD IP Video Door Phone
- AP-VP280 IP Video Phone
- AP-VP120 IP Video Phone
- AP-VAC50 IP Video Door Phone
- AP-ACS1000 Door Access Control System

[Learn More >](#)



AddPac

AddPac Technology


2015, Sales and Marketing

www.addpac.com




Contents

- IP Video Phone Service Diagram
- SIP Call Flow Between Video Door Phone and Video Phone
- IP Video Phone Comparison Table
- IP Video Phone Series
 - AP-VP700 HD IP Video Phone
 - AP-VP280 IP Video Phone
 - AP-VP120 IP Video Phone

SIP Video Call Flow



IP Video Phone Comparison Table

Model	AP-VP700	AP-VP280	AP-VP120
Spec.			
LCD Size	12.1 Inch HD Touch Screen	7 Inch Touch Screen	4.3Inch
Camera	HD CMOS Sensor	CMOS	CMOS
Video Codec	HD Codec	SD Codec	SD Codec
Video Codecs	H.263 H.264	H.263 MPEG4 H.264	H.263 MPEG4 H.264
Signaling	H.323/SIP	H.323/SIP	H.323/SIP
LAN Port	1 (GE)	2 (FE)	2 (FE)
PoE	N/A	Support	Support



AP-VP700 HD IP Video Phone

Video Phone

AP-VP700 HD IP Video Phone

- IP based HD Video Phone Solution
- High-Quality Video, Audio, and Voice Service
- High Performance Programmable Video DSP
- Video Telephony and Videoconferencing Service Features
- H.323 and SIP Dual VoIP Signaling Protocols
- H.264/H.263 Video Codec Support
- Various Call Scenario Support
- Call Status Monitoring Support
- Firmware Upgradeable Architecture
- Video Solution with Outstanding Network Service Capability
- Audio/Video Privacy Protection

Hardware Specification

AP-VP700 HD IP Video Phone

RISC
CPU

High-end
DSP

- RISC Microprocessor Computing Power
- High-end Programmable DSP Hardware Architecture
- Powerful Video Interface
 - RCA Video Input/Output, HD-SDI HD Video Input, HDMI Output Interface
- High quality Audio and Voice Interface
 - Stereo Audio Input Connector
 - Stereo Audio Output Connector
- Network Interface
 - One(1) 10/100/1000Mbps Gigabit Ethernet (RJ45)
- USB Interface
 - USB 2.0 Master Interface for WiFi Interface USB Module
- FXO PSTN Backup

Hardware Specification

AP-VP700 HD IP Video Phone


RISC
CPU

High-end
DSP



AddPac

www.addpac.com



AP-VP280 Video Phone

Video Phone

AP-VP280 Video Phone

Main Features

- 7 Inch LCD Display, Touch Screen
- H.323/SIP Concurrent VoIP Signaling Stack Embedded
- High-performance Video Codec Support
 - H.263, MPEG-4, JPEG, and H.264
- Powerful Image Resolution Support
 - QCIF(176x144), CIF(352x288), QVGA(320x240), and VGA(640x480)
- Two(2) 10/100Mbps Fast Ethernet (IP Share ,etc)
- G.711/G.726/G.723/G.729, etc
- Powerful Network Protocols (PPPoE, DHCP, Static Routing, etc)
- Rate Control for Video Traffic QoS
 - Ensuring Optimized Quality, Frame Rate with Limited Bandwidth
- Firmware Upgradeable Architecture
- VPMS (VoIP Plug&Play Management System) for Large Scale Deployment
- Advanced Voice QoS Mechanism

Video Phone

AP-VP280 Video Phone

RISC
CPU

High-end
DSP

Hardware Specification

- RISC Microprocessor Computing Power
- CMOS Image Sensor, Samsung LCD, Touch Screen
- High-end Programmable DSP Hardware Architecture
- Powerful Video Interface
 - RCA Video Input/Output, S-Video Output
- High quality Audio and Voice Interface
 - Stereo Audio Input & Output Connector
- Network Interface
 - Two(2) 10/100Mbps Fast Ethernet
 - One(1) RS-232C Console
 - One(1) USB 1.0 Interface
- PSTN Interface
 - One(1) FXO(RJ11) interface
- Power Supply
 - *External DC adaptor (5V)*

Video Phone

AP-VP280 Video Phone

RISC
CPU

High-end
DSP

Hardware Specification




Video Phone

AP-VP280 Video Phone

Hardware Specification

RISC
CPU

High-end
DSP




Video Phone

AP-VP150 Video Phone

RISC
CPU

High-end
DSP



AddPac

www.addpac.com



AP-VP120 Video Phone

Video Phone

AP-VP120 Video Phone

Main Features

- 4.3 Inch Color LCD Display, Touch Screen
- H.323/SIP Concurrent VoIP Signaling Stack Embedded
- High-performance Video Codec Support
 - H.263, MPEG-4, JPEG, and H.264
- Powerful Image Resolution Support
 - QCIF(176x144), CIF(352x288), QVGA(320x240), and VGA(640x480)
- Two(2) 10/100Mbps Fast Ethernet (IP Share ,etc)
- G.711/G.726/G.723/G.729, etc
- Powerful Network Protocols (PPPoE, DHCP, Static Routing, etc)
- Rate Control for Video Traffic QoS
 - Ensuring Optimized Quality, Frame Rate with Limited Bandwidth
- Firmware Upgradeable Architecture
- VPMS (VoIP Plug&Play Management System) for Large Scale Deployment
- Advanced Voice QoS Mechanism

Video Phone

AP-VP120 Video Phone

RISC
CPU

High-end
DSP

Hardware Specification

- RISC Microprocessor Computing Power
- CMOS Image Sensor
- 4.3 Inch Color LCD with Touch Screen
- High-end Programmable DSP Hardware Architecture
- Powerful Video Interface
 - RCA Video Input/Output, S-Video Output
- High quality Audio and Voice Interface
 - Stereo Audio Input & Output Connector
- Network Interface
 - Two(2) 10/100Mbps Fast Ethernet
 - One(1) USB 1.0 Interface
- PSTN FXO(RJ11) Interface : **Option**
- Power Supply
 - *External DC adaptor (5V)*
 - *PoE (Power over Ethernet)*

Video Phone

AP-VP120 Video Phone

RISC
CPU

High-end
DSP



AddPac

www.addpac.com

Video Phone Series

Thank you!

AddPac Technology Co., Ltd.
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail : sales@addpac.com