

# AP3840 V.35 Leased-Line Gigabit Ethernet Router

High Performance V.35 Leased Line Routing Solution

V.35 Leased-Line Gigabit Ethernet Router







AddPac Technology

Sales and Marketing

#### Contents

- Product Overview
- Product Highlights
- Hardware Specification
- Software Service
- Network Service and Features
- Application Area
- Ordering Information




#### **Product Overview**

- Embedded Hardware System and Real-Time OS
- V.35-to-LAN Routing Support
- IPv4/IPv6 Dual Stack Support
- Overload Control Support
- Support Various Network Protocols
- Uplink: Four(4) V.35 Interface, Downlink: Two(2) Gigabit Ethernet
- Four(4) Module Slots for V.35 Serial Interface, etc.
- Dual Power Supply : Option
- Powerful Management and User Friendly Features
- CLI Interface for Detailed Control
- Smart Web Management
- Firmware Upgradeable Architecture



## Product Highlights







### Hardware Specification

- High-End RISC Microprocessor Computing Power
- Main Chassis
  - Network Interface
    - Uplink : Four(4) Module Slots for V.35 Serial Interface, etc
    - Downlink: Two(2) 10/100/1000Mbps Gigabit Ethernet
    - One(1) RS-232C Console (RJ45)
  - Power Supply
    - Internal Power Supply (Free Voltage)
    - Dual Power Supply : Option





# Hardware Specification

AP3840 V.35 Leased-Line Router

#### Front Side





# Hardware Specification





#### Software Service

- Built-in AddPac APOS Internetworking Software
  - LAN to V.35 Routing Features
  - WAN Interface Features
- Firmware Upgradeable Architecture
- Industry Standard Network Protocol Features
- Highly User Friendly Management Features
  - Smart Web Manager







- Protocol Stack
  - IPv4/IPv6 Dual Stack
  - Over Traffic Control, Over Load Control
- Network Protocol
  - PPP/PPPOE
  - DHCP Client / Server / Relay
  - Frame Relay
  - Bridge
  - CDP (Cisco Discovery Protocol)
  - HTTP, SSH, Telnet
  - VLAN



- Protocol Stack
  - IP/UDP/TCP/ICMP/IGMP
  - PIM-SM Multicast
  - RIP/RIPng
  - BGP4
  - OSPF/OSPFv6
  - IPX (Optional)
  - VRRP, VRRPv6
  - NAT
  - NATPT
  - NTP
  - HTP (HTTP Time Protocol)
  - IP Access-List
  - RADIUS Authentication




- Tunneling
  - L2TP/PPTP
  - IPIP
  - IPv6 in IP
- Management
  - SNMP
  - RMON
  - HTTP
  - CLI (Cisco Style Command Line Interface)
  - FTP
  - TFTP
- QoS
  - QoS Control for LAN and WAN Interface
  - CoS (DSCP)



- Security Functions
  - Standard & Extended IP Access List
  - Enable/Disable for Specific Network Protocols
  - Multi-level User Account Management
  - Auto-disconnect for Telnet/Console Sessions
  - PPP User Authentication Supports (PAP & CHAP)
- Operation & Managements
  - System Performance Analysis for Process, CPU, Connection Interface
  - Debugging, System Auditing, and Diagnostics Support
  - System Booting and Auto-rebooting with Watchdog Feature
  - System Managements with Data Logging
  - IP Traffic Statistics with Accounting



# Application Diagram



### Ordering Information

- AP3840 Router
  - AP3840 Main Body
  - High-performance RISC CPU
  - Four(4) Module Slots for V.35 Access, etc
  - Two(2) 10/100/1000Mbps Gigabit Ethernet for LAN Access
  - 1-port RS-232C Console
  - Including Network Cable Set & Internal Power Supply, etc.
- Built-in APOS Internetworking Software for AP3840
- Including 1 Year Hardware Warranty
- Product Documents
  - Install and Operation Guide (PDF)
- Pricing
  - AddPac Technology Regional Sales Manager
  - Authorized Sales and Marketing Representatives
  - Please Contact www.addpac.com



# Thank you!

# AddPac Technology Co., Ltd. Sales and Marketing

Phone +82.2.568.3848 (KOREA) FAX +82.2.568.3847 (KOREA) E-mail:sales@addpac.com



15