

New ISMS UI Overview

(ISMS : Integrated Security Management System)



AddPac

AddPac Technology


Sales and Marketing

Contents

- Network Service Diagram
- New ISMS UI Overview
- UI Design (examples)



Network Service Diagram





New ISMS UI Overview

New ISMS UI Main Features

- Dual Monitor Support for Smart DVR Viewer and ISMS UI
- MS-Window based Software Platform
- Intuitive Field Proven UI Design for Large Scale ISMS Installation
- MAP based Device Control Platform Support
- Overall System Status Monitoring Board Support
- Overall Alarm Display Support
- Overall Device Setup Support
- Unmanned Security Zone System Setup Support
- Dark and Black Design Concept




UI Design & Examples

Contents

- Login View, Main View
- ISMS Status Monitoring Board
- ISMS Status Monitoring Board Alarm Display
- Unmanned Security Zone ISMS Setup
- Alarm UI
- Device UI

UI examples : Login



ISMS Status Monitoring Board

- Unmanned Security Zone List Display
- Map based Intrusion Detection Sensor Display
- IP Camera List Display
- Alarm Status Display
- Paging Status Display
- Action Status Display
- SPK.& MIC Volume Control and Display
- Management Server Status Monitoring (CPU, Memory, etc)
- Streaming & Recording Server Status Monitoring
- Storage Server Status Monitoring

ISMS Status Monitoring Board 1

Smart Security Manager 지역본부 172.16.30.169, 본부관리자 로그인 01:43 PM

상황판 무인관리소 장치 알람 240 작업 이력

무인관리소 정보

무인관리소

감지기 All ON 전세 무장

무인관리소

무인관리소 수원 무인관리소 침주 무인관리소

무인관리소 정보

알람

출입 -

침입 -

시스템 60

장치

카메라 -

비상폰 -

센서 -

지도 (무인관리소)

지도 (무인관리소)

카메라

HIK VAC카메라 군산 VAC 한화1 한화2

알람(60)

ID	시간	등급	분류	무인관리소	장치	메시지
292...	2017-11-29 17:52:22	경고	시스템	무인관리소	한화1	장치가 연결이 끊어짐
292...	2017-11-29 17:52:22	경고	시스템	무인관리소	VAC카메라	장치가 연결이 끊어짐
292...	2017-11-29 17:48:27	경고	시스템	무인관리소	VAC카메라	장치가 연결이 끊어짐

방송

등록된 방송그룹이 없습니다.

감지기

AIR1 DOOR1 MOTION1 VAC카메라

ISMS Status Monitoring Board 2

The screenshot displays the Smart Security Manager interface with the following components:

- Alerts:** A list of alerts with columns for ID, time, severity, category, location, and description. Two alerts are shown, both categorized as 'System' and 'Unattended' with a warning level.
- Broadcast:** A section indicating that no broadcast groups are currently registered.
- Speaker/Microphone Volume:** Two sliders for adjusting speaker and microphone volume, both currently set to 0.
- System Resources:** Three circular gauges showing CPU (1%), Memory (17%), and Storage (40%) usage. Below these are details for total and used capacity for each resource.
- Server Resources:** A table showing CPU, memory, and storage usage for internal and external servers.
- Storage Devices:** A table showing CPU, memory, and storage usage for various storage devices.

이름	CPU	메모리	저장공간
내부 분배서버	1.3%	1.3 GB / 7.6 GB	116.1 GB / 289.3 GB
분배서버2	0.8%	301.0 MB / 3.4 GB	12.8 GB / 1.8 TB

이름	CPU	메모리	저장공간
ISMS100_162	0.9%	2.7 GB / 3.9 GB	43.5 GB / 5.5 TB
ISMS100_165	-	-	-
NAS #1	-	-	-
NAS #2	-	-	-
NAS #3	-	-	-

ISMS Status Monitoring Board (Alarm Display)

Smart Security Manager

지역본부 172.16.30.169, 본부관리자 로그인 02:07 PM

상황판 무인관리소 장치 알람 240 작업 이력

무인관리소 정보

무인관리소

감지기 All ON 전체무장

무인관리소

무인관리소 수원 무인관리소 청주 무인관리소

무인관리소

출입 - 카메라 -
침입 - 비상폰 -
시스템 60 센서 -

장치

카메라 -
비상폰 -
센서 -

지도 (무인관리소)

카메라

HIK VAC카메라 군산 VAC 한화1 한화2

알람(60)

ID	시간	등급	분류	무인관리소	장치	메시지
292...	2017-11-29 17:52:22	경고	시스템	무인관리소	한화1	장치가 연결이 끊어짐
292...	2017-11-29 17:52:22	경고	시스템	무인관리소	VAC카메라	장치가 연결이 끊어짐
292...	2017-11-29 17:48:27	경고	시스템	무인관리소	VAC카메라	장치가 연결이 끊어짐

방송

등록된 방송그룹이 없습니다.

감지기

AIR1 DOOR1 MOTION1 VAC카메라



Unmanned Security Zone Setup

Unmanned Security Zone Setup UI Examples

- Unmanned Security Zone Setup
- IP Video Door Phone Setup
- Resource (Image, Media File) Setup
- IP Emergency Phone Setup
- Action Define at Event
- Automation Define at Event (Ex : Automatic Announcement)
- Security Arm Mode Define
- Data Backup
- Operation Setup
- MAP Setup
- IP Camera Registration

Unmanned Security Zone Setup

Smart Security Manager

지역본부

172.16.30.169, 본부관리자 로그인 01:43 PM


상황판 무인관리소 장치 알람 241 작업 이력

검색

이름	그룹	지정분배서버	장치			알람			모드		보기
			카메라	허브	센서	출입	침입	시스템	보안 ...	운영 모드	
1 군산무인관리소	-	분배서버2	-	-	-	-	-	60	-	-	🔍
2 수원시	-	내부 분배서버	0/1	0/2	0/3	-	-	12	🔒	🟢	🔍
3 역삼동 사거리	-	내부 분배서버	-	-	-	-	-	15	-	-	🔍

페이지 1 / 1 전체: 3

Unmanned Security Zone Setup (IP Video Door Phone)




Unmanned Security Zone Setup (Resource : Image, Media)

The screenshot displays the 'Smart Security Manager' interface. The main title is '무인관리소' (Unmanned Security Zone). The left sidebar shows a navigation menu with '지역본부' (Regional Office) expanded, containing '무인관리소' (Unmanned Security Zone), '안산시' (Ansan City), and '화성시' (Hwaseong City). The main content area is titled '무인관리소 설정' (Unmanned Security Zone Settings) and includes a '리소스' (Resource) tab. Below this, there is a message: '무인관리소에 적용할 하나 또는 이상의 리소스를 정의합니다.' (Define one or more resources to be applied to the Unmanned Security Zone). A table lists the resources:

이름	이미지	크기	업로드 시간	삭제
1 inoffice.png		3 KB	2017-09-26 17:54:09	
2 map_4.jpg		126 KB	2017-09-26 17:54:25	
3 nightguard.png		4 KB	2017-09-26 17:54:01	

Unmanned Security Zone Setup (IP Emergency Phone)



Unmanned Security Zone Setup (Action Define at Event)

The screenshot displays the 'Smart Security Manager' interface. The main title is '무인관리소' (Unmanned Security Zone). The left sidebar shows a navigation menu with '지역분부' (Area Division) expanded, containing '무인관리소' (Unmanned Security Zone), '안선시' (Anseon City), and '화성시' (Hwaseong City). The main content area is titled '무인관리소 설정' (Unmanned Security Zone Settings) and includes a '센서 제어기' (Sensor Controller) tab. Below this, there are tabs for '카메라' (Camera), '도어콘' (Door Con), '비상콘' (Emergency Con), '작업' (Work), '운영모드' (Operation Mode), '오토메이션' (Automation), '액션' (Action), '리소스' (Resource), '지도' (Map), and '유치보수' (Maintenance). The '액션' (Action) tab is active, showing a table of actions. The table has columns for '이름' (Name), '장치 명령' (Device Command), '상황판' (Status Panel), '변경' (Change), and '삭제' (Delete). Three actions are listed:


이름	장치 명령	상황판	변경	삭제
1 alaw 멘트 액션	• 카메라 "undefined"을(를) 즉시 방송	✓	⚙	🗑
2 경고멘트 액션	• 카메라 "HIK"을(를) 즉시 방송	✓	⚙	🗑
3 알람음 액션	• 카메라 "undefined"을(를) 즉시 방송	✓	⚙	🗑

Unmanned Security Zone Setup (Automation Define at Event)


The screenshot displays the 'Smart Security Manager' interface. The main title is '무인관리소' (Unmanned Security Zone). The top navigation bar includes '카메라', '도어존', '비상존', '작업', '운영모드', '오토메이션', '액션', '리소스', '지도', and '유지보수'. The left sidebar shows a tree view with '지역본부' expanded, containing '무인관리소', '만신서', and '화성서'. The main content area shows a configuration table for '무인관리소에 적용할 하나 또는 이상의 오토메이션을 정의합니다.' (Define one or more automations to be applied to the unmanned security zone).

이름	트리거 이벤트	액션	조건	변경	삭제
1 잠입경고방송	• 어떠한 적외선 센서 장치가 무장 모드에서 감출됨	알람 꺼짐 · 경고연드 액션	모드: 시간: 상시		


Unmanned Security Zone Setup (Security Arm Mode Define)



Unmanned Security Zone Setup (Data Backup)



Unmanned Security Zone Setup (Operation)



Unmanned Security Zone Setup (Operation List)



The screenshot displays the 'Smart Security Manager' interface. At the top, the title 'Smart Security Manager' is on the left, and '지역본부' (Regional Office) is in the center. On the right, it shows the IP '172.16.30.169', the user '본부관리자 로그인', and the time '01:45 PM'. Below the title bar, there are navigation icons for '상황판' (Dashboard), '무인관리소' (Unmanned Control Room), '장치' (Devices), '알림 243' (Alerts 243), '작업' (Jobs), and '이력' (History). A table below shows the operation list:

일련	이름	형식	무인관리소 유형	무인관리소	마지막 수행 시간
1	▶ 전체 무인관리소 무장	운영모드	수원시	수원시	2017-09-07 14:45:36
2	▶ 전체 무인관리소 무장 해제	운영모드	수원시		2017-09-07 16:43:55

Unmanned Security Zone Setup (Operation List Pop-Up Window)

The screenshot displays the Smart Security Manager interface. At the top, the title bar reads "Smart Security Manager" and "지역본부". The main content area shows a table with two rows of operations. A pop-up window titled "완료" (Complete) is centered on the screen, displaying the message: "작업을 수행하였습니다. 전체 무인관리소 1 (성공:1, 실패:0)" (Completed the operation. All unmanned control stations 1 (Success:1, Failure:0)).


일련	이름	형식	무인관리소 유형	무인관리소	마지막 수행 시간
1	▶ 전체 무인관리소 무정	운영모드	수원시	수원시	2017-09-07 14:45:36
2	▶ 전체 무인관리소 무정 해제	운영모드	수원시		2017-09-07 16:43:55

완료


작업을 수행하였습니다.
전체 무인관리소 1 (성공:1, 실패:0)

확인


Unmanned Security Zone Setup (Map Configuration)




Unmanned Security Zone Setup (Map Configuration : Fence Drawing)



Unmanned Security Zone Setup (Map Configuration : Fence Registration)



Unmanned Security Zone Setup (IP Camera Registration)





Alarm UI

Alarm UI Examples

- Alarm Display
- Alarm Classification
- Alarm Pop-Up
- Alarm & Information History Display

UI examples : Alarm Display

The screenshot shows the 'Smart Security Manager' interface for '지역본부' (Regional Office). The top navigation bar includes '상황판' (Dashboard), '무인관리스' (Unattended Intrusion Detection), '장치' (Devices), '알람 242' (Alarms 242), '작업' (Operations), and '이력' (History). Below the navigation bar, there are filters for '무인관리스' (Unattended Intrusion Detection), '등급' (Level), and '장치 이름' (Device Name). The main area displays a table of alarm records with columns for ID, Time, Level, Category, Unattended Intrusion Detection, Device, and Message.

ID	시간	등급	분류	무인관리스	장치	메시지
2923266	2017-11-30 13:44:40	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923263	2017-11-30 13:43:29	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923260	2017-11-30 13:42:23	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923257	2017-11-30 13:41:37	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923254	2017-11-30 13:41:05	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923251	2017-11-30 13:40:54	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923248	2017-11-30 13:40:06	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923245	2017-11-30 13:35:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923241	2017-11-30 13:33:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923233	2017-11-30 13:29:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923230	2017-11-30 13:23:44	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923227	2017-11-30 13:23:17	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923224	2017-11-30 13:22:47	알림	침입	수원시	삼성캠	모션 센서가 감지됨

At the bottom of the table, there is a pagination control showing '페이지 1 / 13' and a total count of '전체: 242'.

UI examples : Alarm Classification

The screenshot shows the 'Smart Security Manager' interface for '지역본부' (Regional Office). The top navigation bar includes '상황판', '무인관리스', '장치', '알람 242', '작업', and '이력'. Below the navigation bar, there are search filters for '무인관리스', '등급', and '장치 이름'. The main content area displays a table of alarm events with columns for ID, 시간 (Time), 등급 (Level), 분류 (Category), 무인관리스 (Device), 장치 (Device Name), and 메시지 (Message). The table contains 15 rows of data, all showing '모션 센서가 감지됨' (Motion sensor detected) messages. The bottom of the interface shows a pagination bar with '페이지 1 / 13' and a total count of '전체: 242'.

ID	시간	등급	분류	무인관리스	장치	메시지
2923266	2017-11-30 13:44:40	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923263	2017-11-30 13:43:29	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923260	2017-11-30 13:42:23	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923257	2017-11-30 13:41:37	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923254	2017-11-30 13:41:05	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923251	2017-11-30 13:40:54	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923248	2017-11-30 13:40:06	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923246	2017-11-30 13:35:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923241	2017-11-30 13:33:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923233	2017-11-30 13:29:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923230	2017-11-30 13:23:44	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923227	2017-11-30 13:23:17	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923224	2017-11-30 13:22:47	알림	침입	수원시	삼성캠	모션 센서가 감지됨

UI examples : Alarm Pop-Up

The screenshot displays the Smart Security Manager interface. At the top, a dark grey header contains the title "Smart Security Manager" on the left, a notification bell icon with "알림 242" in the center, and the user information "172.16.30.169, 본부관리자 로그인 01:44 PM" on the right. Below the header, there are navigation tabs for "상황판", "무인관리소", and "장치". A search bar and a "작업" button are also visible. The main content area shows a table of alarm events. A pop-up notification box is overlaid on the table, displaying "모션 센서가 감지됨" (Motion sensor detected) with a timestamp of "삼성캠 - 2017-11-30 13:44:48". The table below has columns for ID, 시간 (Time), 등급 (Level), 분류 (Category), 무인관리소 (Location), 장치 (Device), and 메시지 (Message). The table contains 15 rows of data, all with the message "모션 센서가 감지됨".

ID	시간	등급	분류	무인관리소	장치	메시지
2923263	2017-11-30 13:43:29	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923260	2017-11-30 13:42:23	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923257	2017-11-30 13:41:37	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923254	2017-11-30 13:41:05	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923251	2017-11-30 13:40:54	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923248	2017-11-30 13:40:06	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923245	2017-11-30 13:35:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923241	2017-11-30 13:33:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923233	2017-11-30 13:29:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923230	2017-11-30 13:23:44	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923227	2017-11-30 13:23:17	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923224	2017-11-30 13:22:47	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923221	2017-11-30 13:20:04	알림	침입	수원시	삼성캠	모션 센서가 감지됨

Alarm & Information History Display

Smart Security Manager 지역본부 172.16.30.169, 본부관리자 로그인 01:45 PM

상황판 무인관리소 장치 알람 244 작업 이력

이벤트 무인관리소: 기간: 최근 하루 등급: 장치 이름:

분류: 침입 안전 제어 시스템 관리 출입 방송 녹화

ID	시간	등급	분류	무인관리소	장치	메시지	조치사항
2923273	2017-11-30 13:45:35	알림	침입	수원시	삼성캠	모션 센서가 감지됨	
2923272	2017-11-30 13:45:35	정보	침입	수원시	삼성캠	모션 센서 감지됨	
2923270	2017-11-30 13:45:23	정보	침입	수원시	삼성캠	모션 센서 대기상태로 복귀됨	
2923269	2017-11-30 13:45:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨	
2923268	2017-11-30 13:45:15	정보	침입	수원시	삼성캠	모션 센서 감지됨	
2923267	2017-11-30 13:44:59	정보	침입	수원시	삼성캠	모션 센서 대기상태로 복귀됨	
2923266	2017-11-30 13:44:40	알림	침입	수원시	삼성캠	모션 센서가 감지됨	
2923265	2017-11-30 13:44:40	정보	침입	수원시	삼성캠	모션 센서 감지됨	
2923264	2017-11-30 13:44:15	정보	침입	수원시	삼성캠	모션 센서 대기상태로 복귀됨	
2923263	2017-11-30 13:43:29	알림	침입	수원시	삼성캠	모션 센서가 감지됨	
2923262	2017-11-30 13:43:29	정보	침입	수원시	삼성캠	모션 센서 감지됨	
2923261	2017-11-30 13:42:48	정보	침입	수원시	삼성캠	모션 센서 대기상태로 복귀됨	
2923260	2017-11-30 13:42:23	알림	침입	수원시	삼성캠	모션 센서가 감지됨	

페이지 1 / 57 전체: 1121

Alarm & Information History Display (Detail View)

The screenshot displays the 'Smart Security Manager' interface. At the top, it shows the user's location as '지역본부' and the time as '01:46 PM'. The main area contains a table of alarm history with columns for ID, Time, Level, Type, Location, and Message. A popup window titled '알람 - 삼성캠 (2017-11-30 13:45:35)' provides detailed information for the selected alarm.

ID	시간	등급	분류	무인관理所	장치	메시지
2923273	2017-11-30 13:45:35	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923269	2017-11-30 13:45:15	알림	침입	수원시		
2923266	2017-11-30 13:44:40	알림	침입	수원시		
2923263	2017-11-30 13:43:29	알림	침입	수원시		
2923260	2017-11-30 13:42:23	알림	침입	수원시		
2923257	2017-11-30 13:41:37	알림	침입	수원시		
2923254	2017-11-30 13:41:05	알림	침입	수원시		
2923251	2017-11-30 13:40:54	알림	침입	수원시		
2923248	2017-11-30 13:40:06	알림	침입	수원시		
2923245	2017-11-30 13:35:15	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923241	2017-11-30 13:33:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923233	2017-11-30 13:29:24	알림	침입	수원시	삼성캠	모션 센서가 감지됨
2923230	2017-11-30 13:23:44	알림	침입	수원시	삼성캠	모션 센서가 감지됨

알람 - 삼성캠 (2017-11-30 13:45:35)

- 알람 ID: 2923273
- 원본 알람 ID: 2479210
- 시간: 2017-11-30 13:45:35
- 등급: 알림
- 분류: 침입
- 무인관理所: 수원시
- 장치: 삼성캠
- 메시지: 모션 센서가 감지됨
- 조치사항: [Redacted]

Buttons: 알람 확인, 닫기



Device Display UI

Device UI Examples

- IP Video Door Phone
- IP Emergency Phone
- Security Sensors
- ISMS for Unmanned Security Zone
- Streaming & Recording Server
- Storage Server
- IP Cameras
- Smart Sensor Hubs

Device : IP Video Door Phone

The screenshot shows the Smart Security Manager interface. At the top, it displays 'Smart Security Manager' and '지역본부' (Regional Office). The status bar indicates '172.16.30.169, 본부관리자 로그인' and '01:44 PM'. The main menu includes '상황판', '무인관리소', '장치', '알람 241', '작업', and '이력'. Below the menu, there are tabs for '영상처리장치', '저장분배서버', '저장장치', '허브', '센서', '카메라', '도어폰', and '비상콘'. A search bar is present with '검색 선택' and '등록 선택' dropdowns. The main content area contains a table with the following data:

이름	무인관리소	모델명	IP 주소	접속해제시간	재시작	물래...
VAC	무인관리소	VAC	172.16.50.125	2017-10-23 11:25:16		

At the bottom, there is a pagination bar showing '페이지 1 / 1' and a '전체: 1' indicator.

Device : IP Emergency Phone

The screenshot shows the 'Smart Security Manager' interface for '지역본부' (Regional Office). The top navigation bar includes '상황판', '무인관리소', '장치', '알림 241', '작업', and '이력'. Below the navigation bar, there are search filters for '등록 선택' and '원목 선택'. The main content area displays a table of devices.

이름	무인관리소	모델명	IP 주소	입력해제시간	제시력	필터...
EIP60_voice	수원시	AP-EIP60	172.17.10.222	2017-11-24 16:43:32		
권선구 권선로 545	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
권선구 수언로 84	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
영통구 광고중앙로 49	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 경수대로 776	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 광고산로 154	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 광고산로 97	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 서부로 2066	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 송정로 41	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 수성로 262	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
장안구 조원로 111	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 고동로 37	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 매산로 138	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 인계로 123	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 월곡로 22	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		
팔달구 장릉대로 210	수원시	AP-EIP60	172.16.10.112	2017-11-24 16:43:32		

At the bottom of the table, there are navigation controls: '<< < | 페이지 1 / 1 | >> >' and '전체: 16'.


Device : Security Sensors

The screenshot shows the 'Smart Security Manager' interface for a '지역본부' (Regional Office). The top navigation bar includes '상황판', '무인관리소', '장치', '알람 241', '작업', and '이력'. Below this, there are tabs for '영상처리장치', '저장분배서버', '저장장치', '허브', '센서', '카메라', '도어폰', and '비상폰'. The main content area displays a table of security sensors with columns for '이름', '무인관리소', '모델명', '등록', 'IP 주소', and '접속해제시간'.

이름	무인관리소	모델명	등록	IP 주소	접속해제시간
AIR1	무인관리소	AIR1	myHUB		2017-10-23 14:02:39
AIR_10	안산시	AIR	myHUB		2017-11-30 10:57:20
AIR_50	안산시	AIR	SAH50N		2017-11-30 10:57:20
DOOR1	무인관리소	DOOR1	myHUB		2017-10-23 14:02:39
MOTION1	무인관리소	MOTION1	myHUB		2017-10-23 14:02:39
SIREN1	무인관리소	SIREN1	myHUB		2017-10-23 14:02:39
SWITCH1	무인관리소	SWITCH1	myHUB		2017-10-23 14:02:39
VAC카메라	무인관리소	VAC600V_G2			2017-11-29 20:11:19
삼성경	안산시	SNP-6320RH			2017-11-30 10:57:20

At the bottom of the interface, there is a pagination control showing '페이지 1 / 1' and a total count of '전체: 9'.

Device : ISMS for Unmanned Zone




The screenshot displays the 'Smart Security Manager' interface for a '지역본부' (Regional Office). The top navigation bar includes '상황판', '무인관리소', '장치', '알림 241', '작업', and '이력'. Below this, there are tabs for '영상처리장치', '저장분배서버', '저장장치', '허브', '센서', '카메라', '도어폰', and '비상콘'. A search bar is located on the right side of the interface.

이름	모델명	IP 주소	접속해제시간	재시작
1 무인관리소	AP-ISMS100	172.16.30.167	2017-10-23 14:02:38	🔄
2 안산시	AP-ISMS100	172.16.30.162	2017-11-30 10:57:18	🔄
3 화성시	AP-ISMS100			🔄

At the bottom of the interface, there is a pagination control showing '페이지 1 / 1' and a total count of '전체: 3'.

Device : Streaming & Recording Server



The screenshot displays the 'Smart Security Manager' interface for a '지역본부' (Regional Office). The top navigation bar includes '상황판' (Dashboard), '무인관리스' (Unattended), '장치' (Device), '알림 241' (Alerts 241), '작업' (Task), and '이력' (History). Below this, there are tabs for '영상처리장치' (Video Processing Device), '저장분배서버' (Storage Distribution Server), '저장장치' (Storage Device), '허브' (Hub), '센서' (Sensor), '카메라' (Camera), '도어폰' (Door Phone), and '비상폰' (Emergency Phone). The main content area features a table with the following data:

이름	무인관리스	IP 주소	CPU	메모리	저장공간	재시작
1 내부 분배서버	• 안산시 • 화성시	172.16.30.169	1.3%	1.3 GB / 7.6 GB	116.2 GB / 289.3 GB	🔄
2 분배서버2	• 무인관리스	172.16.30.170	0.8%	301.0 MB / 3.4 GB	12.8 GB / 1.8 TB	🔄


Device : Storage Server



The screenshot displays the 'Smart Security Manager' interface. At the top, the title 'Smart Security Manager' is on the left, and '지역본부' (Regional Office) is in the center. On the right, it shows the IP '172.16.30.169', the user '본부관리자 로그인', and the time '01:44 PM'. Below the title bar is a navigation menu with icons for '상황판' (Dashboard), '무인관리소' (Unattended Management Station), '장치' (Device), '알람 241' (Alarm 241), '작업' (Task), and '이력' (Log). The main content area features a table with the following columns: '이름' (Name), 'IP 주소' (IP Address), 'CPU', '메모리' (Memory), and '저장공간' (Storage Space). The table lists five devices, with the first one, 'ISMS100_162', highlighted in blue.

이름	IP 주소	CPU	메모리	저장공간
1 ISMS100_162	172.16.30.162	0.9%	2.8 GB / 3.9 GB	43.5 GB / 5.5 TB
2 ISMS100_165	172.16.30.165	-	-	-
3 NAS #1	172.16.19.1	-	-	-
4 NAS #2	172.16.19.201	-	-	-
5 NAS #3	172.16.19.202	-	-	-

Device : IP Camera



The screenshot displays the Smart Security Manager interface for a local area network (지역본부). The interface includes a navigation menu at the top with options like '상황판', '무인관리소', '장치', '알람 241', '작업', and '이력'. Below the navigation, there are search filters and a table listing various IP cameras. The table columns include '이름' (Name), '모델명' (Model Name), 'IP 주소' (IP Address), '사이즈' (Size), '프레...' (Frame...), '대역폭' (Bandwidth), '프로파일...' (Profile...), '녹화 모드' (Recording Mode), '녹화' (Recording), '일속해제시간' (Instantaneous Release Time), '카메라...' (Camera...), '재시작' (Restart), and '웹...' (Web...).

이름	모델명	IP 주소	사이즈	프레...	대역폭	프로파일...	녹화 모드	녹화	일속해제시간	카메라...	재시작	웹...
무인관리소												
▶ HIK	DS-2DE722...	172.16.10.56										
▶ VAC카메라	VAC50OV_G2	172.16.2.50										
▶ VAC	VAC	172.16.9.55										
▶ 민화1	XNP-6330RH	172.16.99.101										
▶ 민화2	XNP-6330RH	172.16.99.131										
안산시												
▶ VAC 카메라	VAC50	172.17.9.55										
▶ test_camera1		172.16.30.99										
▶ 외곽 카메라2		172.16.19.200										
▶ 외곽 카메라3	VP300	172.16.19.201										
화성시												
▶ 삼성점	SNP-6320RH	172.16.54.189										

Device : IP Camera

The screenshot displays the 'Smart Security Manager' interface for a '지역본부' (Regional Office). The top navigation bar includes '상황관' (Status), '무인관리소' (Unmanned Control Room), '장치' (Device), '알림 245' (Alerts 245), '작업' (Task), and '이력' (Log). The main menu shows '영상처리장치' (Video Processing Device), '저장분배서버' (Storage Distribution Server), '저장장치' (Storage Device), '허브' (Hub), '센서' (Sensor), '카메라' (Camera), '도어폰' (Door Phone), and '비상폰' (Emergency Phone). The '카메라' (Camera) section is active, showing a list of devices with columns for '이름' (Name), '모델명' (Model Name), 'IP 주소' (IP Address), '사이즈' (Size), '프레...' (Frame...), '대역폭' (Bandwidth), '프로파일...' (Profile...), '녹화 모드' (Recording Mode), '녹화' (Recording), '접속해제시간' (Disconnection Time), '카메라...' (Camera...), '재시작' (Restart), and '알파...' (Alpha...).

이름	모델명	IP 주소	사이즈	프레...	대역폭	프로파일...	녹화 모드	녹화	접속해제시간	카메라...	재시작	알파...
무인관리소												
HIK	DS-2DE722...	172.16.10.56										
mainStream		172.16.10.56	1920x1080	30	2048 kbps	실시간	꺼짐		2017-11-24 14.4...			
VAC카메라	VAC500V_G2	172.16.2.50										
VAC	VAC	172.16.9.55										
VAC		172.16.9.55	640x480	30	512 kbps	실시간	꺼짐		2017-10-23 11.2...			
원화1	XNP-6330RH	172.16.99.101										
D1		172.16.99.101	720x480	30	512 kbps	실시간	꺼짐		2017-11-29 20.1...			
PLUGINFREE		172.16.99.101	1280x720	20	2048 kbps	실시간	꺼짐		2017-11-29 20.1...			
RECORDING		172.16.99.101	1280x720	15	1024 kbps	실시간	꺼짐		2017-11-29 20.1...			
원화2	XNP-6330RH	172.16.99.131										
D1		172.16.99.131	720x480	30	512 kbps	실시간	꺼짐		2017-11-24 14.4...			
PLUGINFREE		172.16.99.131	1280x720	20	2048 kbps	실시간	꺼짐		2017-11-24 14.4...			
RECORDING		172.16.99.131	1280x720	15	1024 kbps	실시간	꺼짐		2017-11-24 14.4...			
안산시												
VAC 카메라	VAC50	172.17.9.55										
test_camera1		172.16.30.99										
외곽 카메라2		172.16.19.200										
외곽 카메라3	VP300	172.16.19.201										
화성시												

Device : Sensor Hub

The screenshot displays the 'Smart Security Manager' web interface. The title bar shows '지역본부' (Regional Office) and the user '172.16.30.168, 본부관리자 로그인' (Login) at '01:44 PM'. The navigation menu includes '상황판' (Dashboard), '무인관리소' (Unmanned Control Room), '장치' (Devices), '알림 241' (Alerts 241), '작업' (Tasks), and '이력' (History). The main content area shows a table of devices under the '장치' tab.

이름	모델명	IP 주소	비전	센서	알림	접속해제시간	재시작	진단
안산시								
▶ SAH50N	SAH50N_G2	172.17.50.51.60266	8.50.00T	1	-	2017-11-30 10:57:20	🔌	🔍
▶ myHUB	SAH50NPC_G2	172.16.30.65.40148	8.50.00T	1	-	2017-11-30 10:57:20	🔌	🔍
무인관리소								
▶ myHUB	SAH50NPC_G2	172.16.30.168.59...	8.50.027	5	-	2017-10-23 14:02:39		

Device : Sensor Hub

The screenshot displays the 'Smart Security Manager' interface for a '지역본부' (Regional Office). The top navigation bar includes '상황판', '무인관리소', '장치', '알람 246', '작업', and '이력'. Below this, there are tabs for '영상처리장치', '저장분배서버', '저장장치', '허브', '센서', '카메라', '도어존', and '비상폰'. The main content area shows a table of devices with columns for '이름', '모델명', 'IP 주소', '버전', '센서', '알람', '전속해제시간', '재시작', and '진단'. The table is organized into two main categories: '수입시' (Imported) and '무인관리소' (Unmanned Control Station).

이름	모델명	IP 주소	버전	센서	알람	전속해제시간	재시작	진단
SAH50N	SAH50N_G2	172.17.50.51:60266	8.50.00T	1	-	2017-11-30 10:57:20	🔌	🔍
AIR_50	AIR			-	-	2017-11-30 10:57:20		
myHUB	SAH50NPC_G2	172.16.30.65:40148	8.50.00T	1	-	2017-11-30 10:57:20	🔌	🔍
AIR_10	AIR			-	-	2017-11-30 10:57:20		
무인관리소								
myHUB	SAH50NPC_G2	172.16.30.168:59...	8.50.027	5	-	2017-10-23 14:02:39		



Thank you!

AddPac Technology Co., Ltd.
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail : sales@addpac.com