

# Smart PTT Application Features



Additional Service Features

**AddPac**

AddPac Technology

2012, Sales and Marketing


# Contents

- SIP Enable-Ping Service Feature
  - Network Environment
  - Periodically Ping to SIP Server Features
  - SIP Enable-Ping Service Setting
- PTT Basic and Sound Configuration
- Codec Preference Configuration

# SIP Enable-Ping Service Feature


## Network Environment

**Register UDP port is periodically changed by 3G NAT Area (Register Fail)**



# SIP Enable-Ping Service Feature

Periodically Ping to SIP Server Call Flow




# SIP Enable-Ping Service Feature


## SIP Enable-Ping Service Setting

### SIP Enable-Ping Service Setting


(1) Menu -> Setting



(2) Network Menu



(3) Basic Setting



**Enable SIP Ping**  
-> Periodically SIP ping to SIP Server for Keep alive or Persistency under NAT

**Ping Timer**(Default. 30 sec)

**Registration Keep Alive Timer**  
(Default. 60 sec)


# PTT Basic and Sound Configuration

## PTT Basic and Sound Setting

(1) Menu -> Setting



(2) PTT Menu



(3) PTT Basic and Sound Setting



- Headset Button Operation
- PTT Auto Answer
- PTT My Talk Sound
- PTT Others Talk Sound
- PTT Talk Release Sound
- PTT Disconnect Sound


# Codec Preference Configuration

## Codec Preference Setting


(1) Menu -> Setting



(2) Network Menu



(3) Codec Setting



- Codec Preference 1**  
(Default. G.711ulaw 64Kbps)
- Codec Preference 2**  
(Default. G.711alaw 64Kbps)
- Codec Preference 3**  
(Default. G.726 32Kbps)



# Thank you!

AddPac Technology Co., Ltd.  
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail [sales@addpac.com](mailto:sales@addpac.com)