


ISDN, PSTN Voice Recording Solution



AP-NR3000 Voice Recording Server



AddPac

AddPac Technology

Sales and Marketing




AP2620 VoIP Gateway

Contents


- Network Diagrams
- Product Specifications
 - Voice Recording Server : AP-NR3000
 - VoIP Gateways for Voice Recording Extension: AP2620,etc
 - Smart Digital Voice Recording Management Program

Network Diagram (Case 1)

◆ Legacy PBX Application



Network Diagram (Case 2)





IP Voice Recording Server

Product Overview

AP-N3000 Network Voice Recoding Server

- IP based Network Voice Recording Server
- Linux Operating System
- Powerful Management and User Friendly Features
- High-performance Voice Recoding Service
- External Media Gateway(ex:AP-MG3000) Interworking Support
- Firmware Upgradeable Architecture
- One(1) 10/100/1000Mbps Gigabit Ethernet Interface
- One(1) DVD Writer for Audio File Backup
- Up to Four(4) 3.5Inch SATA Hard Disk Interface Support
- USB Interface Support (Front Side, Back Side)

Hardware Specification

AP-N3000 Network Voice Recoding Server





- High Performance Computing Power
- Main Chassis
 - Network Interface
 - One(1) 10/100/1000Mbps Fast Ethernet
 - Video Output Interface
 - HDMI, DVI, RGB Video Output
 - USB 2.0 Interfaces for Mouse, Keyboard, etc
 - One(1) DVD Writer for Video File Backup
 - Up to Four(4) Hard Disk





VoIP Gateways for Voice Recording Extension

VoIP Gateways with Voice Recording Extension

| Product | AP2620 | AP2640 | AP2650 | AP-MG3000 |
|-------------------|---|--|---|---|
| |  |  |  |  |
| Available Modules | AP-FXS4 AP-FXO4 AP-FXS2O2 AP-E&M4 AP-E1 | AP-FXS8 AP-FXO8 AP-FXS4O4 AP-E&M8 AP-E1 | AP-FXS8 AP-FXO8 AP-FXS4O4 AP-E&M8 AP-E1 | APv2-1E1 APv2-2E1 APv2-4E1 |
| Analog Ports | Up to 8 | Up to 32 | Up to 32 | N/A |
| Signaling | SIP, H.323 | SIP, H.323 | SIP, H.323 | SIP, H.323 |
| Digital E1/T1 | Up to 2E1/T1 | Up to 2E1/T1 | Up to 2E1/T1 | Up to 4E1/T1 |
| E&M | Support | Support | Support | N/A |
| Module Slot | Two(2) | Four(4) | Four(4) | Two(2) |
| LAN Port | 2 | 2 | 2 | 2 |
| Console | 1 | 1 | 1 | 1 |
| Power | Single PSU | Single PSU | Dual PSU | Single PSU |

AP2620 VoIP Gateway



- Voice Recording Interface Support
- Analog Interface(FXS,FXO,E&M,etc), ISDN PRI(E1/T1)
VoIP Interface
- Up to 2E1/T1 Interface
- IPv4/IPv6 Address Support
- Two(2) Module Slots for Analog, Digital E1/T1 Interface
- SIP, H.323, MGCP VoIP Signaling Support
- Firmware Upgradeable Architecture





Smart DVoiceR Management Program for Voice Recording Server

Smart DVoiceR Management Program for HQ



- Call History Management (search/modify/delete/save)
- Media Play Management (Play/Stop/Seek/Pause)
- Live Call List Management, Live Call Monitoring
- Local Backup (File Manager Support, PC HDD, DVD) and Local Play
- User Management (registration/modify/delete/search)
- Server Status (CPU/Memory/HDD) & Event Monitoring
- Waveform Analyzing Function
- Recording Source Management (VoIP Gateway, IP Phone, etc)
- Live Recording Board



Thank you!

AddPac Technology Co., Ltd.
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail sales@addpac.com