



AP-IP200™

BcN IP Phone

High Performance Broadband Convergence Network
IP Phone Solution

Standalone 3-Party Call Conference



AddPac

AddPac Technology

Sales and Marketing

www.addpac.com

Contents

AP-IP200 IP Phone

- AP-IP200 HW Specification
- Multiparty Conference Model (IP-PBX)
- Multiparty Conference Model (External MCU)
- Standalone AP-IP200 3-Party Conference Model
- Network Diagram
- Signal Flow Diagram


Hardware Specification

AP-IP200 IP Phone

- **RISC+DSP Microprocessor Computing Power (Dual Processor Architecture)**
- **System Memory**
 - 4Mbyte Flash Memory
 - Main Memory : 32M SDRAM
- **Optional PSTN Interface**
 - FXO Interface
- **High quality Audio and Voice Interface**
 - Stereo Audio In/Out Connector
- **Network Interface**
 - Two(2) 10/100Mbps Fast Ethernet
 - One(1) RS-232C Console
- **Power Supply**
 - Optional PoE (Power over Ethernet) Interface
 - External Power Adaptor (5V, 2A)

Multiparty Conference Model

IPNext Series Built-In Multiparty Conference Module




Built-In Multiparty
Conference Module

AddPac

www.addpac.com

Multiparty Conference Model


External MCU Model



Standalone 3-Party Conference Model


AP-IP200 Built-In 3-Party Conference

- Voice Codec :G.711
- Signaling : SIP



Network Service Diagram

AP-IP200 IP Phone




Conference Call Network

Signal Flow Diagram

AP-IP200 IP Phone Specific

Conference Call Flow



AP-IP200 IP Phone

Thank you!

AddPac Technology Co., Ltd.
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail sales@addpac.com