

IPNext500
Web Smart Multimedia Manager (WSMM)
IP-PBX Series



IPNext500
One System Dual IP-PBX



AP-IP300
IP Phone




AddPac Technology

Sales and Marketing

www.addpac.com

Contents

- Overview
- System Requirement
- WSMM Login
- Extension Management
- Trunks Management
- PBX Services Management
- System Admin Management
- Summary
- User Portal web page



Overview

What`s New in WSMM (Web based Smart Multimedia Manager)


- Simple Menu and Easy Configuration
- Provides Built-In IVR Scenario Editor and Service Configuration
- Provides easy-to-user IP-PBX System API Services and ways to integration with 3rd party systems
- Integrated voice line management such as FXS, FXO, E1, GSM, 3G
- User portal to configure personal information, call forwarding
- Diagnostic tool to analyze SIP Call flow, current status and problems for terminal and trunk

System Requirement

WSMM (Web based Smart Multimedia Manager)

- Windows XP, Vista, Windows 7, Windows Server 2000/2003
- Linux / Unix Platform
- Microsoft Internet Explorer 7.0 / 8.0 / 9.0
- Google Chrome / Mozilla Firefox / Safari / Opera
- Javascript + HTML supported browser (Android, iPhone, iPad,...)


Login



WSMM Login
Execute web browser to enter the IP address of IP-PBX then WSMM accessible login screen will de displayed.


Administrator Authentication
Enter administrator ID and password to complete authentication by clicking login Smart Multimedia Manager.

Help




HELP
WSMM provides HELP for each functions. Click HELP to display new screen and detail description of setup is clearly explained in homepage.

Related Links



Related Links
WSMM setup page provides related link functions. Related links helps easy operation of IP-PBX by providing link.


Diagnostic



Diagnostic
It provides to display terminal and trunk status inspection in IP-PBX
Step 1.
- Network Connection Test
- SIP Aware Test


Step 2.
- Outgoing Call Test

Built-in IVR Scenario Editor



Built-in IVR Scenario Editor
WSMM is embedded with IVR Scenario Editor.
An administrator may create/edit IVR scenario without using special tool
IVR Scenario Sequence
- Start
- Menu / Play / Transfer / Check Extension / Goto / Disconnect

Main




Main Menu
Through left "Main Menu", setup IP-PBX policy.

Alarm Message
It displays IP-PBX system errors

Short Cut
A short cut link.


Status
It displays current IP-PBX system major status

Main - Alarm History




Alarm History
Main page displays alarm message. Click Unread Alarm Message to display alarm history page at the bottom. It also displays IP-PBX system errors.

Main – Quick Menu




Quick Menu
A short cut link for favorite. It provides Extension / Conference Room / Trunk / Call Rule / Terminals short cut link to improve the convenience of user.

Main – Follow Us




Follow Us
You may check AddPac product information, solution and etc. through Linked, Facebook, YouTube.

Main – Status Monitoring




Status
You may check current IP-PBX major information. It supports Terminal, Trunk Register Status, System Status (Memory, Storage, Network, Service),, Voice Module Status (FXS, FXO, E1, GSM) Check and main menu short cut function.

Extension - Extensions




Extension
Extension setup is possible to operate IP-PBX operation. User Extension / Analog Extension / Hunt Group / Pickup Group / Conference Room / IVR Extension

Extension - Directory




Directory
It displays user organization department. Each user may setup department in User Extension. Use directory to use click to call function in user portal web page.

Extension - Routing Access List




Routing Access List
Apply call rules regarding outgoing call routing for external bound trunk in IP-PBX.

Extension - Terminal Profile




Terminal Profile
Setup SIP/SSCP/Timeout/Ring/VoIP setting in IP-PBX. It supports global setting and terminal profile.

Extension - Terminals




Terminals
You may search/setup/change the status of SIP, SSCP, External Terminal status in IP-PBX. Extension, Name, User Agent, IP Address, Register Status, Mac Address, Terminal Create Time

Trunk - Trunks




Trunk
A trunk setup for IP-PBX in order to make a call. You may setup VoIP Trunk, SIP Proxy Server, and H.323 Gatekeeper as well as to check the register status in accordance with Trunk types.

Trunk - Outgoing Call Rules




Outgoing Call Rules
A call rule for external call routing. You may apply various options such as Outgoing call rule (Number Translation, Routing Mode, Display Name Presentation, P-Asserted Identity Presentation) for outgoing call rule.

Trunk - Incoming Call Rules




Incoming Call Rules
A call rule for incoming call through trunk . You may apply various options such as (Number Translation, DID)

PBX Service - Speed Button Profiles




Speed Button Profile
A function for IP/VP-Phone. A newly created speed button list may check in phone. Use idle/Ring/Connect status and touch to call function for each extension.

PBX Service - Announcement and Tones




Announcement and Tones
A setup to manage an announcement (Dial-tone, Consult-tone, Waiting-tone) in IP-PBX service. Announcement may select either Korean/English and administrator may upload Ment File directly.

PBX Service - IVR Scenarios




IVR Scenario
WSMM is embedded with IVR Scenario Editor. An administrator may create/apply IVR scenario without using special tool.

PBX Service - Voice Mail Services




Voice Mail Service
Voice Mail Service let you setup Voice Mail Extension, Message Box, Notification, and SMS related setup. Each user may check the received voice-mail, SMS through user portal web page.

PBX Service - RTP Proxy Service




RTP Proxy Service
RTP Proxy supports smooth call conversation by acting as rtp packet relay for each different network (private/ public) Call. RTP Proxy Service provides various options such as (Port range / DSCP)

PBX Service - Service Codes




Service Codes
A function to setup additional service phone number in IP-PBX. It is a service code to use additional service in SIP terminal and start with # or * and may assign maximum of two phone numbers.

PBX Service - Day Templates




Day Templates
Day Template function provides a service in accordance with registered date after registering special date/day as template (date / Day of Week / Weekly)

PBX Service - Security Profiles




Security Profiles
IP-PBX supports TLS Cipher Suites.
User may select priority with 3 TLS Suites and may select RC4_40, RC4_128, DES_CBC, 3DES_CBC, AES_128,_CBC, AES_256_CBC, SEED_CBC, ARIA_CBC in each suites.

PBX Service - Service Monitoring



Service Monitoring
It displays Active Call & Conference information in IP-PBX. User may setup monitoring screen renew, interval time setup, and provides active call & conference information.


System Admin - Network Interface



Network Interface
IP-PBX Network interface setup.
WAN Interface
- IPv4 / IPv6 Address, DNS, DHCP Client


LAN Interface
- IPv4 / IPv6 Address, DHCP Server

System Admin - Network Services




Network Service
IP-PBX network service setup.
User may setup NTP, TELNET, SNMP, HTTP, FTP, LDAP, SYSLOG, Dynamic DNS, CDR, SMTP, DDoS function detail setup.

System Admin - Administrators




Administrator
An administrator creation/change is possible to operate IP-PBX. Level (Administrator / Operator / Monitor) application is possible and may assign additional Application Permission (Door Access Control Manager / Time and Attendance Manager)

System Admin - Licenses




License
To use various service of IP-PBX, License must be created. In accordance with License policy, Max Service is restricted and license upload/download is possible in accordance with policy.

System Admin - Voice Lines




Voice Line
It displays Voice Module information in IP-PBX. Voice modules are including FXS, FXO, E&M, E1, T1, GSM, and 3G. Each module may setup Gain, Caller ID, and Pattern.

System Admin - Alarm History




Alarm History
It displays trouble in IP-PBX system. Level (All / Critical / Major / Minor), ACK (All / Acknowledge / Not Acknowledge). User may check various information through period filter.

System Admin - Call History



Call History
It displays device error which was occurred in IP-PBX System. User may check various information through Call Type (Unspecified / Inter-Site Call / PSTN Backup / Service Provider), Period, Number

System Admin - Show Command



Show Command
User may check the status of IP-PBX System through category and CLI (Command Line Interface)

Thank you!

AddPac Technology Co., Ltd.
Sales and Marketing

Phone +82.2.568.3848 (KOREA)
FAX +82.2.568.3847 (KOREA)
E-mail : sales@addpac.com