

AP-VIC100

IP Video Intercom

High Performance IP Video Intercom Solution



Video Preview Function
for IP Video Door Phone

AddPac

AddPac Technology

Sales and Marketing


www.addpac.com

Contents

- Network Diagram
- Smart Web Manager Configuration for Video Preview
- Signal Flow Diagram
- Hardware Specification



Video Preview Function for IP Video Door Phone



[Smart WEB] Advanced/Service

Smart Web Manager
www.addpac.com

System +

Basic +

Advanced -

- Port Control
- Service**
- Filtering
- SNMP
- DSCP
- EMS

Miscellaneous -

- Port & Call Status
- System Status
- Call Log
- System Log
- Ping

Service

Appication Services

<input checked="" type="checkbox"/> Enable Telnet	Server Port	<input type="text" value="23"/>	(default 23, 1-65535)
<input checked="" type="checkbox"/> Enable HTTP	Server Port	<input type="text" value="80"/>	(default 80, 1-65535)
<input checked="" type="checkbox"/> Enable FTP	Control Port	<input type="text" value="21"/>	(default 21, 1-65535)
	Data Port	<input type="text" value="20"/>	(default 20, 1-65535)
<input checked="" type="checkbox"/> Enable Syslog	Primary Server	<input type="text"/>	Port <input type="text" value="514"/> (default 514)
	Secondary Server	<input type="text"/>	Port <input type="text" value="514"/> (default 514)
	Log Level	<input type="text" value="4-warning"/>	
	Log Command	<input type="text" value="enable"/>	

Timer

Inter Digit Time	<input type="text" value="3"/> sec	(default 3, 1-600)
Hook-Flash-Dete		

Call Service

Transfer	<input checked="" type="radio"/> Hook-Flash <input type="radio"/> Not-assigned
Hold	<input checked="" type="radio"/> Hook-Flash <input type="radio"/> Not-assigned
Video Preview	<input checked="" type="radio"/> enable <input type="radio"/> disable
for DoorPhone	

SIP Transfer


Mode	<input checked="" type="radio"/> blind <input type="radio"/> Attended
------	---

Video Preview
- Configure (En/Dis)able option

SIP Signaling Flow

AP-VAC50(IP Video Door Phone)

AP-VIC100 (Video Intercom)



Hardware Specification

AP-VIC100 IP Video Intercom

RISC
CPU

High-end
DSP

- RISC+DSP Microprocessor Computing Power
- Audio and Voice Interface
 - Internal MIC
 - Internal Speaker
 - 3 x 4 key PAD
- Speaker Phone with Acoustic Echo Canceller
- TFT Color LCD Interface
 - 5 Inch LCD, WQVGA Video Resolution
- Network Interface
 - Two(2) 10/100Mbps Fast Ethernet
- Headset Interface (Audio In/Out)
- FXO PSTN BackUp Interface : Option
- Power Supply
 - Power over Ethernet : Option
 - External Power Supply



Hardware Specification

AP-VIC100 IP Video Intercom

RISC
CPU

High-end
DSP



5 Inch Color LCD
With touch screen

Soft Keys

Navigation Keys

Function Keys

AddPac

www.addpac.com

Hardware Specification

AP-VIC100 IP Video Intercom

RISC
CPU

High-end
DSP




Audio In/Out
for Headset

Hardware Specification

AP-VIC100 IP Video Intercom

RISC
CPU

High-end
DSP



AddPac

10/100Mbps Fast Ethernet

www.addpac.com



Thank you!

AddPac Technology Co., Ltd.
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail sales@addpac.com