



AP6800 (256 Port) Large Scale VoIP Gateway

High Performance VoIP Gateway Solution

Champ Connector for FXS, FXO Cards



AddPac

AddPac Technology

Sales and Marketing

www.addpac.com

Contents

- Product Overview
- Hardware Configuration Diagram
- Champ Connector Diagram




Product Overview

AP6800 Large Scale VoIP Gateway

- H.323/SIP Concurrent VoIP Stack Embedded
- High Performance RISC Processor
- Dual Power Redundancy (AC, DC) selectable at ordering
- Hot-Swap Function Support
- Up to 256 Analog Interface Port (32Port Board x 8 Ea) Support
- Two(2) 10/100/1000Mbps Giga-Bit Ethernet Interface
- G.711/G.726/G.723/G.729, T.38 Fax , VAD, etc
- Powerful Network Protocols (PPPoE, DHCP, Static Routing, etc)
- Firmware Upgradeable Architecture
- VPMS (VoIP Plug&Play Management System) for Large Scale Deployment
- Advanced Voice QoS Mechanism

Hardware Configuration Diagram

AP6800 Large Scale VoIP Gateway



Champ Connector Diagram

AP6800 Large Scale VoIP Gateway



Champ Connector Diagram

AP6800 Large Scale VoIP Gateway



Champ Connector Diagram

AP6800 Large Scale VoIP Gateway



Champ Connector Diagram

AP6800 Large Scale VoIP Gateway



VoIP Gateway Series

Thank you!

AddPac Technology Co., Ltd.
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail sales@addpac.com