Smart IoT Mobile Application Software Solution





AddPac Technology


Sales and Marketing

Contents

- IoT Network Service Diagram
- IoT Mobile Application Software Comparison Table
- Mobile Application Software for IoT
 - AP-ASH100 Android based IoT Application Software
 - AP-ISH100 Apple IOS based IoT Application Software
 - Chrome Browser based IoT Application Software



Network Diagram



IoT Mobile Application Software Comparison Table

Model	Chrome Browser	AP-ASH100	AP-ISH100
Spec.			,
OS	OS Independent Chrome Browser	Android	Apple IOS
Smart Hubs (Zwave, Zigbee)	Support	Support	Support
Video Phone (SIP)	N/A	Support (H.264, etc)	Support (H.264, etc)
IP Camera Monitoring (RTSP)	N/A	Support	Support



AP-ASH100 Android IoT Mobile Appl.



AP-ASH100 Overview

- It supports receiving a video call from video door phone by visitor.
- It supports making a video call to video door phone to see door side.
- It supports bidirectional video call from security guard video phone.
- It supports smart hub devices for sensor device handling.
- It supports IP camera view mode using RTSP protocol
- It supports standard based SIP signaling protocol.
- It supports below voice and video codecs
 - Voice Codec : G.711ulaw/alaw, G.726
 - Video Codec : H.264, H.263. MPEG4




UI examples Lists

- Main View (Zone Summary)
- Armed Mode (Away, Stay, Night)
- Short View
- Zone View
- Zone Setting and Configuration
- IP Camera View Mode (Home, Outside Home)
- Call View (Favorite Call, Recent Call, Phone Book, etc)
- Video Call View
- Sensor Control View (Ex: Light Control, Thermostat, etc)
- Sensor Control View (Action, Mode, Alert, etc)




Main View (Zone Summary)






Main View (Cont.)






Main View (Zone Detail)






Armed Mode






Short Cut View






Zone View






Zone Setting






Camera Live View






Light Control






Thermostat






Favorite Call View






Recent Call View






Contact View






Add Contact






Keypad View






Video Call View






Thermostat






Action View






Mode View






Alert View






Schedule View





Setting Menu





AP-ISH100 Apple IOS IoT Mobile Appl.



AP-ISH100 Overview

- It supports receiving a video call from video door phone by visitor.
- It supports making a video call to video door phone to see door side.
- It supports bidirectional video call from security guard video phone.
- It supports smart hub devices for sensor device handling.
- It supports IP camera view mode using RTSP protocol
- It supports standard based SIP signaling protocol.
- It supports below voice and video codecs
 - Voice Codec : G.711ulaw/alaw, G.726
 - Video Codec : H.264, H.263, MPEG4




UI examples Lists

- Main View (Zone Summary)
- Armed Mode (Away, Stay, Night)
- Short View
- Zone View
- Zone Setting and Configuration
- IP Camera View Mode (Home, Outside Home)
- Call View (Favorite Call, Recent Call, Phone Book, etc)
- Video Call View
- Sensor Control View (Ex: Light Control, Thermostat, etc)
- Sensor Control View (Action, Mode, Alert, etc)




Main View (Zone Summary)






Main View (Cont.)






Main View (Zone Detail)






Armed Mode






Short Cut View






Zone View






Zone Setting






Camera Live View






Light Control






Thermostat






Favorite Call View






Recent Call View






Contact View






Add Contact






Keypad View






Video Call View






Light Control






Thermostat






Action View






Mode View






Alert View






Schedule View





Setting Menu





Chrome Brower based IoT (Internet of things) Software Control





Contents

- Chrome OS Support : MS-Window, Android, IOS
- Chrome Browser based Restrict IoT Service
- Android/IOS APP. based IoT Service
- Comparison Table Between Chrome Browser and Android/IOS APP.
- Chrome Browser UI Design (examples)



Chrome Browser Restrict Service

- Main View (Zone Summary)
- Armed Mode (Away, Stay, Night)
- Short View
- Zone View
- Zone Setting and Configuration
- Sensor Control View (Ex: Light Control, Thermostat, etc)
- Sensor Control View (Action, Mode, Alert, etc)



Android/IOS APP. based Smart Home Service

- Main View (Zone Summary)
- Armed Mode (Away, Stay, Night)
- Short View
- Zone View
- Zone Setting and Configuration
- IP Camera View Mode (Home, Outside Home)
- Call View (Favorite Call, Recent Call, Phone Book, etc)
- Video Call View
- Sensor Control View (Ex: Light Control, Thermostat, etc)
- Sensor Control View (Action, Mode, Alert, etc)



Comparison Table


Service	General Chrome Browser	AddPac Android/IOS APP.
Smart Hub Control for Sensor Devices	Main View (Zone Summary) Armed Mode (Away, Stay, Night) Short View Zone View Zone Setting and Configuration Sensor Control View (Ex: Light Control, Thermostat, etc) Sensor Control View (Action, Mode, Alert, etc)	Main View (Zone Summary) Armed Mode (Away, Stay, Night) Short View Zone View Zone Setting and Configuration Sensor Control View (Ex: Light Control, Thermostat, etc) Sensor Control View (Action, Mode, Alert, etc)
SIP Call Control Service	Not Support	Call View (Favorite Call, Recent Call, Phone Book, etc) Video Call View
RTSP based IP Camera Service	Not Support	IP Camera View Mode (Home, Outside Home)
	######################################	

UI examples: MS-Window Chrome





Ul examples: Android Chrome





UI examples: Apple IOS Chrome





Thank you!

AddPac Technology Co., Ltd. Sales and Marketing

Phone +82.2.568.3848 (KOREA) FAX +82.2.568.3847 (KOREA)

E-mail: sales@addpac.com

www.addpac.com

