



# AP-IP300

## Premium IP Phone

High Performance Broadband Convergence Network IP Terminal Solution

XML Browser Service Function



# **AddPac**

**AddPac Technology**

Sales and Marketing




[www.addpac.com](http://www.addpac.com)

# Contents

- XML Setup
- XML Browser Service Example
  - Directory (Phone Book) List, Directory Search
- CID Display for Incoming Call
- Smart Web Configuration





# Main Menu & XML Setup



**AddPac**

XML Server and CID Option

# XML Browser Main Screen Example




Select 'Directory List'




Directory List

www.addpa

# Directory Search




Select 'XML Browser'




Select 'Directory Search'




Search by Name or Number



# CID Info. for Incoming Call



CID at Ringing State



CID at Connection State


# SmartWeb (1/2)

The screenshot shows the Smart Web Manager interface with the following components:

- System** menu: Language, LAN Setup, System Time, Display Manager, File Browser.
- Call & Media** menu: Protocol, Server SIP, DTMF/Codec, Speed Dial.
- Advanced** menu: Security, XML Browser.
- XML Server** configuration page with the following fields:
  - Server URL:**  (http://xml.a
  - Caller-ID URL:**  (optional, ht
  - Username:**  (optional)
  - Password:**  (optional)
  - Connection Timeout:**  (1 - 30 second)
- Apply** button with a green checkmark icon.

Red boxes and arrows highlight the **XML Browser** menu item, the **XML Server** tab, the **XML Server Configuration** form, and the **XML Browser Tab** label.

# SmartWeb (2/2)

**Advanced** 

- Security
- XML Browser

**Miscellaneous** 

- Ping
- Service
- Language Table

## Caller-ID Display Control

### Caller ID Information Control

CID Display	<input checked="" type="radio"/> Yes <input type="radio"/> No	(Enable CID Display at Conversation Time)
CID Auto Display	<input checked="" type="radio"/> Yes <input type="radio"/> No	(Automatic CID Display for Incoming Call)
Display CID Image	<input checked="" type="radio"/> Yes <input type="radio"/> No	Display image file when present
CID Image Size	<input type="text" value="210"/> (0 - 400 pixel, unit 10 pixel)	(0 is system default)

 Apply



# IP Phone Series

# Thank you!

**AddPac Technology Co., Ltd.**  
Sales and Marketing

Phone +82.2.568.3848 (KOREA)

FAX +82.2.568.3847 (KOREA)

E-mail [sales@addpac.com](mailto:sales@addpac.com)